
## SISO



The technical descriptions and dimensions in this catalogue, also those the photographs and drawings, are not binding. We reserve the right to make design improvements.

We bear no liability for any misprints or other errors that might occur in the production of the catalogue.

SISO A/S tager forbehold for trykfejl samt ændringer i produktets specifkationer.

Für Druckfehler und Irrtümer ist jede Haftung ausgeschlossen. Produktänderungen behalten wir uns vor.



SISO A/S MILEPARKEN 11 DK - 2740 SKOVLUNDE (COPENHAGEN) **DENMARK** PHONE: (+45) 45 830 900

- high quality furniture fittings

**DISTRIBUTOR** 

## CONTENT

"MIC" SYSTEM	
RIM LOCKS	
SLAM LOCKS	
ROLL BLIND LOCKS	
SHUTTER/SLIDING DOOR LOCKS	
FLAP LOCKS	
CAM LOCKS23-28	
CAM PLATES & ACCESSORIES F/CAM LOCKS	
PUSH LOCKS	o Co
"RV" LOCKS	
WINDOW LOCKS	
PADLOCKABLE CAM LOCKS	
PADLOCKS39-41	TO RE
CENTRAL LOCKS	660



## CONTENT

BOX LOCKS	S. K.
MORTISE LOCKS	Can
FURNITURE KEYS	1000
ESCUTCHEONS	
ESPAGNOLETTE LOCKS	
PASQUIL CABINET LOCK	
METAL FURNITURE LOCKS	
LOCK ACCESSORIES	
GLASS DOOR LOCKS	0
COMBINATION LOCKS W/DIGIT'S	
KEY STORAGE	
BRASS PROFILE CYLINDERS	The state of the s
DOOR LOCKS	
COIN DEPOSIT LOCK	
ELECTRONIC LOCKS	



## **PRESENTATION**

Our locks are mainly made of zamak and are as standard supplied with 6 wafers, giving 400 different key combinations. **Master key system** and **Interchangeable Cylinders** are also available.

Some models are available with laser cut "Snake" keys, granting 1000 key combinations. Keys are made of solid brass material. Some models have brass pins & tubular keys, granting 2000 key combination.

All locks are supplied as standard with 1 rosette and 2 double dented keys, marked combination numbers.

Keys are as standard supplied with black nylon cover, and can also be supplied as "**hinged**" type. However the keys may also be supplied all metal.

Optional: Locks may be supplied with key combination number already prestamped on the cylinders. Locks with **Master key** & **Interchangeable system** (**MIC**) are as standard supplied key combination number already **prestamped on the cylinders**.

You may ask for your own designed key and logo. Only you have to order minimum 10,000 keys (= 5000 locks of different models).

#### ABBREVIATIONS/SYMBOLS

K/A = Key Alike (all locks same key code)

K/D = Key to Differ (all locks different key code)

NPL = Nickel Plated
BPL = Brass Plated
CPL = Chrome Plated
ALU = Matt Chrome
BRZ = Bronze Plated

BLK = Black Anodized

Backset = Distance from centre of key entrance to the edge of the lock, where the locking tongue protrudes.

M = Master Key System. We offer 5 different Master Key groups named: J-11, J-12, J-13, J-14 or J-15. The groups J-11 and J-12 are stock items. Other groups require a certain delivery time. Master keys are covered with white nylon and marked with Master key Group number, f.inst. J-12. This master key can open all 400 different key combinations in this group.



MIC = Master key & Interchangeable Cylinder. Apart from a few models, most of our locks may be supplied MIC system. Keys for changing the cylinder is covered red nylon.

#### **ADVANTAGE of MIC:**

- 1) Security: You can install the cylinders or change same to desired key combination at the final location. This offers additional security against unauthorized opening.
- 2) Comfort: It is easy to change cylinders out having to dismantle or change the lock already installed. In case of lost keys you can open the furniture either the master key or you can take out the cylinder the red key and replace it by a new cylinder. Insertion of loose cylinder into the lock body out any additional accessories just the red key.

All MIC Locks are supplied master key system as standard and cylinders are marked key combination number.

MIC locks are supplied fixed cylinders or you can have empty lock bodies only and buy the cylinders separately, either as key alike or key to differ. If you buy lock bodies only, our locks are supplied a nylon plug inside the cylinder housing. The plugs have different colours:

Drawer position:

Right position:

Left position:

blue colour

black colour

red colour








The plug prevents the cylinder housing from being damaged and you just remove the plug and insert the cylinder in this lock position.

## "MIC" SYSTEM





## Installation of cylinder into an empty lock body

- 1. Make sure that the arrow on the plastic plug points towards the lock tongue. If not in the correct position take a flat screw driver and turn the plug to the right position.
- 2. Take out the plastic plug from the lock body.
- 3. Take off the transparent plastic tube from the cylinder.
- 4. Insert the loose cylinder into the empty lock body right to the end.
- 5. Turn the key 90° & draw the key.6. The cylinder has succesfully been installed.



Drawers, wardrobes and cabinets

#### Accessories for one set:

- 1 lock
- 1 rosette
- 2 SISO car keys

#### **Specification:**

Zamak lock body & cylinder Steel rosette & keys Cylinder diam. 19 or 16,5 mm Cylinder lengths:


18, 22, 26, 32 & 38 mm
400 key combinations or key alike
Drawer, left or right hand versions
Master key & Interchangeable
system available on request


#### Finish:

Nickel plated Black anodized Bronze plated Aluminium finish Brass plated

**Item No.:** # 14.00.000 etc.







## RIM LOCK NO. 850 W/TRANS. FLIP KEY



#### **Application:**

For drawers, wardrobes & cabinets

#### Accessories for one set:

- 1 lock
- 1 rosette
- 2 SISO transparent flip keys

#### **Specifications:**

Zamak lock body & cylinder, NPL Steel rosette & keys Cylinder size: Ø19 x 22 mm 400 key combinations Drawer, left or right hand versions W/Master key & interchangeable system #J11 (MIC) on request.


#### Finish:

Nickel Plated (NPL)
Other finishes on request

#### Item No.:

Drawer, key to differ # 14.01.051-0 Drawer, key alike D20 # 14.01.065-3 Right hand # 14.01.057-3





## RIM LOCK NO. 850 "MIC" W/HINGED CAR KEYS

#### Application:

For drawers, wardrobes & cabinets

#### Accessories for one set:

- 1 lock
- 1 rosette
- 2 SISO hinged car keys

#### **Specifications:**

Zamak lock body & cylinder, NPL Steel rosette & keys Cylinder size: ø19 x 22 mm 400 key combinations Drawer, left or right hand versions W/Master key & interchangeable system #J11 (MIC)

#### Finish:

Nickel Plated (NPL)
Other finishes on request

#### Item No.:

Drawer # 14.01.020-0 Right hand # 14.01.026-5 Left hand # 14.01.027-5



### RIM LOCK NO. 850 SNAKE KEY



#### Application:

Drawers, wardrobes and cabinets

#### Accessories for one set:

- 1 lock
- 1 rosette
- 2 SISO snake car keys

#### Specification:

Zamak lock body & cylinder, NPL Steel rosette & brass keys Cylinder size Ø 19 x 22 mm 1000 key combinations or key alike W/master key & interchangeable system (MIC)

Drawer, left or right hand versions

#### Finish:

Nickel plated Other finishes on request

#### Item No.:

 Drawer (no MIC)
 # 14.00.200

 Drawer w/master key system
 # 14.00.210


 Drawer w/MIC system
 # 14.00.220

 Right hand w/MIC system
 # 14.00.221

 Left hand w/MIC system
 # 14.00.222

 Master key (blue)
 # 14.04.137

 Interchangeable key (red)
 # 14.04.138



## RIM LOCK NO. 850 W/TUBULAR KEYS

#### Application:

For drawers, wardrobes & cabinets

#### Accessories for one set:

- 1 lock w/cylinder ø 19 x 22 mm
- 1 rosette
- 2 SISO tubular car keys

#### **Specifications:**

Lock body & cylinder made of zamak Innercore made of brass material Rosette & keys made of steel Drawer. Left & right available on request

2000 key combinations


#### Item No.:

Nickel plated # 14.00.100

Also available with key retention (no key pull out when open)

#### Item No.:

Nickel plated #14.00.101



#### RIM LOCK NO. 950 - 35 MM BACKSET



#### **Application:**

Drawers, wardrobes and cabinets etc. where you want to drill hole further from the edge

#### Accessories for one set:

- 1 lock
- 1 rosette
- 2 SISO car keys

#### **Specification:**


Zamak lock body & cylinder
Steel rosette & keys
400 key combinations
Drawer version. Left & right hand
versions available on request
Master key & Interchangeable
system available on request

#### Finish:

Nickel plated Other finishes upon request

#### Item No.:

Right # 14.01.096 Left # 14.01.095 Drawer # 14.01.097



## LOCK W/ADJUSTABLE BACKSET MODEL "SERBIA"

#### **Application:**

Drawers. wardrobes and cabinets etc.

#### Accessories one set:

- 1 lock
- 1 rosette
- 2 SISO metal keys

#### Specification:

Zamak lock body & cylinder Steel rosette & keys 60 key combinations Drawer version. Left & right hand versions available on request


#### Finish:

Nickel plated Other finishes upon request

#### NB!

You can drill a hole for cylinder any place between 22 and 44 mm from cabinet edge

Item No.: # 14.01.015







Drawers, wardrobes and cabinets

#### Accessories for one set:

- 1 lock
- 1 rosette
- 2 SISO car keys

#### Adjustable backset:

15, 20, 25, 30, 35, 40 mm To adj. backset, remove the cylinder from the housing screwdriver and mount it in the required backset position

#### Specification:

Zamak lock body & cylinder Steel rosette & keys 400 key combinations Left & right hand versions. Drawer version available on request Master key & Interchangeable system available on request

#### Finish:

Nickel plated Other finishes upon request

#### Item No.:

Right hand # 14.01.013 Left hand # 14.01.012



## RIM LOCK NO. 850-N - Millennium

#### **Application:**

Drawers, wardrobes and cabinets

#### Accessories for one set:

- 1 lock
- 1 rosette
- 3 mounting screws
- 2 SISO round metal keys


#### Specification:

Zamak lock body & cylinder Steel rosette, screws & keys Cylinder dia. 19 or 16,5 mm 400 key combinations Drawer version. Left & right hand versions available on request Master key & Interchangeable system available on request

#### Finish:

Nickel plated Aluminium finish Black anodized Black nickel Gold plated

Item No.: # 14.01.050 etc.



## RIM LOCK NO. 852, SLIM CASE



#### **Application:**

Drawers, wardrobes and cabinets

#### Accessories for one set:

- 1 lock
- 1 rosette
- 2 SISO car keys


#### Specification:

Zamak lock body & cylinder
Steel rosette & keys
Cylinder diam. 19
Cylinder lengths: 22 mm
400 key combinations
Drawer version. Left & right hand version available on request
Master Key system available on request

#### Finish:

Nickel plated Black anodized Other finishes upon request

**Item No.:** # 14.01.100 etc.



## RIM LOCK NO. 850, LONG LATCH

#### Application:

Drawers, wardrobe, cabinets where big gab is expected or locking double door middle wall in between

#### Accessories for one set:

- 1 lock
- 1 rosette
- 2 SISO car keys


#### Specification:

Zamak lock body & cylinder
Steel rosette & keys
Cylinder length 22 mm
400 key combinations
Drawer version. Left & right hand
version available on request
Master Key system available
on request

#### Finish:

Nickel plated Other finishes upon request

**Item No.:** # 14.01.089





Drawers, wardrobes and cabinets

#### Accessories for one set:

- 1 lock
- 1 rosette
- 4 screws
- 2 SISO car keys


#### **Specification:**

Zamak lock body & cylinder Steel rosette & keys 400 key combinations or key alike Drawer version. Left & right hand version available on request Master key & Interchangeable system available on request

#### Finish<sup>1</sup>

Nickel plated Other finishes upon request

Item No.: # 14.01.269 etc.



## RIM LOCK NO. 850 GREY SISO DK name plate

#### Application:

Drawers, wardrobes and cabinets

#### Accessories for one set:

- 1 lock w/cylinder ø 19 x 22 mm
- 1 rosette
- 2 SISO car keys

#### Specifications:


Zamak lock body & cylinder Steel rosette & keys SISO DK name plate grey plastic. 400 key combinations Drawer. Left & right available on request

Master key system available Interchangeable system NOT possible

#### Item No.:

Nickel plated # 14.01.054

Other finishes upon request



## RIM LOCK "CPH"



#### Application:

For drawers, wardrobes & cabinets

#### Accessories for one set:

- 1 lock
- 1 rosette
- 2 "CPH" hinged car keys

#### **Specifications:**


Zamak lock body & cylinder Steel rosette & keys Cylinder size: ø19 x 21 mm 80 key combinations or key alike Only available as drawer version

#### Finish:

Nickel plated

Item No.:

Key to differ: # 14.01.056-0 Key alike: # 14.01.056-5



## RIM LOCK NO. 850 W/TURNING KNOB

#### Application:

For drawers, wardrobes & cabinets

#### Accessories for one set:

- 1 lock
- 1 knob + pin
- 2 SISO car keys

#### Specifications:

Zamak lock body, cylinder & knob Knob & lock body are supplied uninstalled

Steel keys


Cylinder size: ø19 x 22 mm 400 key combinations W/Master key & interchangeable


system #J11 (MIC).

Item No.:

Chrome Plated # 14.00.105 Alu finish # 14.00.106







#### **Knob mounting instruction**

- 1. Make sure that the lock is in open position.
- 2. Install the lock body on the furniture.
- 3. Push the knob into the lock body & the lock is ready to be used.
- 4. To remove the knob you need to remove the cylinder. Use the red interchangeable key.
- 5. Then you use the steel pin supplied to push down an activator latch inside the cylinder.
- 6. Keep the latch down and pull the knob apart from the lock body.
- 7. New cylinder can only be installed in open position.





Perfect for double door cabinets and wardrobes

- Accessories for one set: 1 lock w/cylinder ø19 x 22 mm
- 2 L-shaped striking plates 2 SISO car keys

Specifications: Lock body & cylinder made of zamak Rosette, striker & keys made of steel 400 key combinations or key alike Right or left hand version

#### Finish:


Nickel plated


Other finishes upon request


#### Item No.:


# 14.01.250 # 14.01.251 Right Left




















### **SLAM LOCK NO. 856**

# SISO

#### Application:

Hotel minibars, tills, drawers, wardrobes and cabinets

#### Accessories for one set:

- 1 lock
- 1 rosette
- 1 striking plate
- 2 SISO car keys

#### **Function:**

Spring loaded tongue allows doors and drawers to push lock automatically

#### Specification:


Zamak lock body & cylinder Steel rosette & keys 400 key combinations Steel rosette, keys & striker Drawer version. Left & right hand version available on request Master Key system available on request

#### Finish:

Nickel plated

Item No.: # 14.01.481





## SLAM LOCK NO. 856N "Millennium"

#### **Application:**

Hotel mini bars, tills, drawers, wardrobes and cabinets

#### Accessories for one set:

- 1 lock
- 1 rosette
- 1 striking plate
- 2 SISO car keys
- 3 mounting screws

#### **Function:**

Spring loaded tongue allows doors and drawers to push lock automatically


#### Specification:

Zamak lock body & cylinder
Steel rosette & keys
400 key combinations
Steel rosette, keys, striker & screws
Drawer version. Left & right hand
version available on request
Master Key system available
on request

#### Finish:

Nickel plated

Item No.: # 14.01.482





Hotel mini bars, tills, drawers, wardrobes and cabinets

#### Accessories for one set:

- 1 lock
- 1 rosette
- 2 neutral car keys

#### **Function:**

Spring loaded tongue allows doors and drawers to push lock automatically

#### **Specification:**


Zamak lock body & cylinder
Steel rosette & keys
500 key combinations
Drawer version. Left & right hand
version available on request
Master key & Interchangeable
system available on request

#### Finish:

Nickel plated Others upon request

#### Item No.:

Lock # 14.01.495 Master key # 14.04.122 Interchangeable key # 14.01.132



## **ROLL BLIND LOCK NO. 2159**

#### Application:

Roller shutter doors vertical or horizontal sliding doors

#### Accessories for one set:

- 1 lock
- 1 rosette
- 1 flat striking plate
- 2 SISO car keys

#### **Function:**


To open turn key 30° Spring loaded hooks allow automatic push locking

#### Specification:

Lock body - black plastic Zamak cylinder - nickel plated Steel rosette,striker & keys 200 key combinations Master Key system available on request

#### Item No.:

Key to differ (KD) # 14.01.470 KD w/master key # 14.01.471



## **ROLL BLIND LOCK NO. 855**



#### Application:

Roller shutter doors vertical or horizontal sliding doors

#### Accessories for one set:


- 1 lock
- Rosette
- 1 flat striking plate 2 SISO car keys

#### **Function:**

To open turn key 30° Spring loaded hooks allow automatic push locking

Specifications:
Zamak body & cylinder
Steel rosette, striker & keys
Cylinder diameter: Ø 16,5 or Ø 19 mm
Cylinder length: 22 or 32 mm
400 key combinations or key alike
Master key & interchangeable system available on request

Item No.: # 14.01.410 ect.



## RAISED STRIKING PLATE F/LOCK 855

#### Application:


Raised striker for more security No cutting in panel necessary Easy installation

#### **Material:**

Steel - nickel plated

Item No.: # 14.01.500







# ROLLER SHUTTER/SLIDING DOOR LOCK W/METAL STRIKER MODEL "VERTI"

#### Application:

Vertical roller shutter doors & sliding doors

#### Accessories one set:

- 1 lock
- 1 steel nickel plated striking plate
- 1 rosette
- 2 neutral car keys

#### **Function:**


Turn key 180° and 2 hooks will move out from the lock body anchoring into the enclosed striker

#### **Specification:**

Lock body: Zamak, NPL
Zamak cylinder & hooks
Cylinder ø18 mm
Cylinder lenght 22 mm or 32 mm
400 key combinations with
Master key & Interchangeable
system

#### Item No.:

Lock Ø18 x 22 mm # 14.01.406 Lock Ø18 x 32 mm # 14.01.409 Master key # 14.04.122 Interchangeable key# 14.04.132



# DOUBLE DOOR PLASTIC STRIKER F/ DOWN ROLLER SHUTTER DOOR LOCK"VERTI"



Application:

For double shutter/rolling doors

Specifications: Plastic – black

Item No.: # 14.01.401

Lock to be ordered separately (item 14.01.406+409)


















Flap doors

#### Accessories:

- 1 lock
- 1 rosette
- 1 striking plate
- 2 metal keys

#### **Function:**

To close: push cylinder and turn key
To open: turn key
Key removable in locked position only

#### Specification:

Plastic lock body Steel cylinder, striker, cam, rosette & keys Key alike only

#### Finish:

Brown Body - Brass plated cylinder

Item No.: # 14.07.120



## FLAP LOCK NO. 9411, ALL METAL

## Application: Flap doors

## Accessories:

- 1 lock
- 1 rosette
- 1 striking plate
- 2 SISO car keys

#### **Function:**

To close: push cylinder and turn key

To open: turn key

Key removable in locked and unlocked position

#### **Specification:**

Zamak lock body & cylinder Steel rosette, striker & keys 400 key combinations Master Key system available on request

#### Finish:

Nickel plated Brass plated Bronze plated

**Item No.:** # 14.07.105 etc.



### CAM LOCK NO. 5250

# SISO

#### **Application:**

Drawers, wardrobe, cabinets, universal for many diff. purposes ONE WING TYPE mainly applied for shutter doors

#### Accessories for one set:

- 1 lock
- 1 rosette
- 2 SISO car keys or metal keys

#### Option:

19 mm cylinder diam and many other different cam types available upon request Other rotation angle

#### **Specification:**

Zamak lock body & cylinder Steel rosette, cam & keys 400 key combinations Master Key system available on request

#### Finish:

Nickel plated Others upon request

Item No.: # 14.04.605 etc.



## PUSH AND TURN LOCK NO. 919

#### **Application:**

Heavy duty sliding doors Flap doors

#### Accessories for one set:

- 1 lock
- 1 rosette
- 1 striking plate
- 2 SISO car keys

#### **Function:**

To lock push cylinder and turn key to allow cam enter back door Key removable in locked and unlocked position


#### **Specification:**

Zamak lock body & cylinder Steel rosette,striker & keys Cylinder diam. 19 mm Cylinder lenght 24 mm 400 different key combinations Master Key system available on request

#### Finish:

Nickel plated Other finishes upon request

**Item No.:** # 14.03.004 etc.





#### Accessories for one set:

- 1 lock
- 1 hex nut or 1 snap on clip
- 2 SISO metal keys
- 1 transparent plastic washer

#### **Specification:**

Zamak lock body & cylinder Steel hex nut, cam & keys 50 key combinations or key alike 90º turn

#### **Option:**

Other cam style/sizes Other rotation angle

#### Finish:

Chrome plated Others upon request

#### Item No.:

Key to differ # 14.04.426 Key alike # 14.04.425

### 9,5 16 Fixing hole for wood, plastic for metal and glass R 6 Ø 11 25,50 12 Ø12 Ø 15 10,60


#### Accessories for one set:

- 1 cylinder ø 17 x 9,5 mm
- 1 spring clip
- 1 cam plate ce.: 35,5 mm
- 2 SISO metal keys

#### **Specifications:**

Zamak lock body & cylinder Steel spring clip, cam plate & keys 90° turn, Chrome plated

Item No.: # 14.08.110



## CAM LOCK NO. 1911


#### Accessories for one set: 1 lock 1 hex nut

- 1 cam plate No. 7 spun on to lock body
- 2 SISO car keys

#### **Specifications:**

Zamak body, cap, cylinder & hex nut Steel cam & keys Cylinder size: ø19 x 11 mm 400 key combinations or key alike 180° turn

Item No.: # 14.04.430 ect.



#### CAM LOCK W/DOME SS-304 CAP



#### Accessories for one set:

- 1 lock
- 1 hex nut
- 1 cam plate
- 2 transparent washers
- 2 SISO car keys

#### **Specifications:**

Zamak body, cylinder & hex nut Cap in stainless steel Steel cam & keys


Transparent PVC washer for glass fixing Cylinder size: ø19 x 16 or ø19 x 30 mm 400 key combinations or key alike 90 or 180° turn


Various cam plate styles/sizes


Item No.:


# 14.04.470 ect.











## CAM LOCK W/CONICAL ZAMAK CAP

#### Accessories for one set:

- 1 lock
- 1 hex nut
- 1 cam plate
- 2 transparent washers
- 2 SISO car keys

#### Specifications:

Zamak body, cap, cylinder & hex nut Steel cam & keys


Transparent PVC washer for glass fixing Cylinder size: ø19 x 16, 20, 25 or 30 mm 90 or 180° turn


Various cam plate styles/sizes 400 key combinations or key alike Master key & interchangeable system available on request


Item No.:

# 14.04.461 ect.











#### Accessories for one set:

- 1 lock
- 1 hex nut
- 1 cam plate
- 1 spike washer
- 2 transparent washers
- 2 "CPH" metal car keys

#### **Specifications:**

Zamak lock body, cylinder & hex nut

Steel rosette, cam plate, spike washer & keys Transparent washers in PVC

Cylinder size: ø18 x 16, 20, 25 or 30 mm

90° turn

80 key combinations

#### Finish:

Chrome plated

#### Item No.:


 Ø18 x 16 mm
 # 14.04.468-5

 Ø18 x 20 mm
 # 14.04.485-5


 Ø18 x 25 mm
 # 14.04.492-0

 Ø18 x 30 mm
 # 14.04.502-0









Fixing hole

for wood,

glass, plastic

## CAM LOCK 1920 W/TRIANGULAR BIT KEY

#### Accessories for one set:

- 1 cylinder ø 19 x 20 mm
- 1 hex nut
- 1 cam plate no. 9
- 1 zamak bit key

#### **Specifications:**

Cylinder and key made of zamak - CPL

Cam made of steel.

Hex nut made of zamak

90° turn


Activated by pushing in the bit key

**Item No.:** # 14.04.483

Extra zamak bit key:

**Item No.:** # 14.04.140





## CAM LOCK 1920 W/SQUARE BIT KEY



#### Accessories for one set:


- 1 cylinder ø 19 x 20 mm
- 1 hex nut
- 1 cam plate No. A01
- 1 spike washer
- 2 transparent washers
- 1 zamak bit key


#### **Specifications:**


Zamak lock body, cylinder & key Steel spike washer & cam plate Transparent washers in PVC 90° turn, Chrome plated Activated by pushing in the bit key


**Item No.:** # 14.04.481











## CAM LOCK 1920 W/TURN KNOB


#### Accessories for one set:


- 1 cylinder ø 19 x 20 mm
- 1 hex nut
- 1 cam plate No. A06
- 1 spike washer


#### **Specifications:**


Zamak lock body, cylinder & knob Steel spike washer & cam plate 90° turn, Chrome plated

**Item No.:** # 14.04.480













## **OEM CAM LOCKS**



**Item No.:** #14.08.125









Cashier Desk Lock M-1920 180° rotation 2 stops at 90° and 180°

**Item No.:** # 14.04.487










Universal cam lock 5250 Cylinder: Ø16,5 x 20 mm Double cam No. 145 Incl. 2 different strikers

**Item No.:** # 14.04.630











STRAIGHT CAM PLATE	CODE	L
15 2	A01	25
	A02	30
8,2	A03	35
	A04	40
	A05	45
8,2	A06	50




OFFSET CAM PLATE	CODE	L	Н	CODE	L	Н	CODE	L	Н
15 2	A21	25	2	A31	25	3	A41	25	4
	A22	30	2	A32	30	3	A42	30	4
L+0.5	A23	35	2	A33	35	3	A43	35	4
12 H	A24	40	2	A34	40	3	A44	40	4
8 8 8,2	A25	45	2	A35	45	3	A45	45	4
8,2	A26	50	2	A36	50	3	A46	50	4

OFFSET CAM PLATE	CODE	L	Н	CODE	L	Н	CODE	L	Н
15 2	A51	25	5	A61	25	6	A71	25	7
	A52	30	5	A62	30	6	A72	30	7
L+0,5	A53	35	5	A63	35	6	A73	35	7
12 H	A54	40	5	A64	40	6	A74	40	7
8,2	A55	45	5	A65	45	6	A75	45	7
8,2	A56	50	5	A66	50	6	A76	50	7



**FOR CAM LOCK 1900 & 5250 SERIES** 




FOR CAM LOCK MIC 1900 SERIES



## EXTRA ACCESSORIES F/CAM LOCKS


Plastic Cover Cap Black PE material

**Item No.:** # 14.04.560



Spike Washer Steel nickel plated


Item No.: # 14.04.307





Spring Clip Steel nickel plated


Item No.: # 14.04.308





Plastic Washer Transparent PVC

Item No.: # 14.09.340





#### PUSH LOCK NO. 1003



#### Application:

Sliding doors

#### Accessories for one set:

1 lock

1 rosette

2 SISO car keys

#### **Function:**

To open: turn key
To close: push cylinder
Special model available
security action i.e. lock can not
be pushed/closed out
inserting and turning the key

#### Specification:

Zamak lock body & cylinder Steel rosette & keys Cylinder dia. 19 mm Cylinder lengths: 23 mm 400 key combinations or key alike Master key & Interchangeable system available on request


#### Option:

Striker A-1002 or 1030 Pin Extension A-1009 5, 10 or 20 mm upon request

#### Finish:

Nickel plated Brass plated Black anodized

Item No.: # 14.03.030 etc.



## PUSH LOCK NO. T-1003

## Application: Sliding doors

#### Accessories for one set:

1 lock ø22 x 24mm

1 rosette

1 locking sleeve/striker

2 Tubular SISO car keys

#### **Function:**

To open - turn key Push cylinder to lock

#### Specification:

Zamak lock body & Cylinder Steel rosette & locking sleeve 2000 key combinations


#### Finish:

Nickel plated

**Item No.:** # 14.03.035









Sliding doors

#### Accessories for one set:

1 lock

1 rosette

2 SISO car keys

#### **Function:**

To open turn key Push cylinder to lock

#### Specification:

Zamak lock body & cylinder Steel rosette, keys & striker Cylinder dia. 22 mm Cylinder lengths: 26 mm 400 key combinations Master Key system available on request


#### Option:

Striker A-1030 or A-1001

#### Finish:

Chrome plated

**Item No.:** # 14.02.980



## PUSH LOCK MODEL "BUDAPEST"

#### Application:

Sliding doors, post boxes and other all round application

#### Accessories for one set:

1 lock

2 SISO car keys

#### Function:

To open – turn key Push cylinder to lock


#### Specification:

Zamak lock body & cylinder Steel rosette & keys 400 key combinations or key alike

#### Finish:

Nickel plated

Item No.: # 14.03.006



## PUSH LOCK - MODEL "CARAVAN"



#### Material:

Plastic

#### **Application:**

Drawers, wardrobes, cabinets in caravans + vessels + airplanes

Universal for right/left/draw application

#### Accessories for one set:

- 1 lock
- 1 rosette
- 1 push button

#### **Function:**


Close the door, push the knob inside and secure the latch so door will not open until knob is pushed out again

FOR DOOR THICKNESS 16 MM

#### Finish:

Silver sprayed

**Item No.:** # 14.03.050



## PUSH LOCK "CAMP"

#### Application:

For drawers, wardrobes & cabinets in caravans, vessels, airplanes ect.

#### Accessories for one set:


- 1 lock
- 1 plastic striker w/fixing screws
- 2 screws f/panel thickness extension

#### Specifications:

Cylinder and knob made of zamak Lock body made of plastic Slam lock function Locked by pushing the knob Panel thickness 18 - 24 mm

#### Item No.:

Black/chrome plated # 14.03.055 Black/matt nickel plated # 14.03.056







For drawers, wardrobes & cabinets in recreational vehicles (RV)

#### Accessories for one set:

- 1 grey ABS lock body
- 1 zamak knob & handle cc: 128 mm
- 1 grey ABS striker with spring tension

#### Specifications:

Panel thickness 14 – 16 mm


Slam lock function

Locked by pushing the knob

#### Item No.:

Chrome plated # 14.03.070 Black anodized # 14.03.071 SS-look # 14.03.072





## PUSH LOCK "RV" - SQUARE



#### Application:

For drawers, wardrobes & cabinets in recreational vehicles (RV)

#### Accessories for one set:

- 1 grey ABS lock body
- 1 zamak push knob/front
- 1 grey ABS striker with spring tension 1 grey ABS panel reduction spacer 3 mm

#### Specifications:

Panel thickness 12 – 16 mm


Push the knob to open can close


Item No.: Chrome plated # 14.03.065 # 14.03.066 Black anodized SS-look # 14.03.067





















Distance plate to be used by 12 - 13 mm. installation



Illustrated above in locked position.



Windows

#### Accessories for one set:

- 1 lock body
- 1 rosette
- 2 SISO car keys

#### **Function:**

To close: push the cylinder To open: insert key & turn it

#### **Specifications:**


Zamak lock body & cylinder Steel rosette & keys Key alike (KA) or 400 key combinations


#### Item No.:


Matt nickel plated - KA # 14.02.997 White powder coated - KA # 14.02.999 Chrome plated - KA # 14.03.002 Chrome plated - key to dif # 14.03.001
















## ZAMAK STRIKER FOR LOCK NO. 280 Application:

Striker for extra security

#### **Specifications:**


Zamak material

Screw-on type


#### Item No.:

White # 14.02.995









## STEEL BUSHING FOR LOCK NO. 280

Application:

Bushing for extra security


#### Specifications:


Steel material

Drill: ø13 x 27 mm

#### Item No.:

Bright zinc plated # 14.02.996









#### PADLOCKABLE CAM LOCK NO. 300



#### Application:

For metal lockers & wooden cabinets To be used with a padlock Available in right & left hand version

#### One lock consists of:

- 1 lock cylinder
- 1 cam plate
- 1 hex nut
- 2 transparent PVC washers
- 1 spike metal washer

#### **Specifications:**

Turn knob & cylinder made of zamak Cam, hex nut & washer made of steel 90° turn

F/Shackle size Ø5 - to 7 mm - min.16mm width Chrome PI. (CPL) or black anodized (BLK)

#### Item No.:

#### **Right Hand version:**


Ø19 x 20 mm - CPL - Cam A04 # 14.04.586-5 Ø19 x 25 mm - CPL - Cam A04 # 14.04.587-4 Ø19 x 25 mm - BLK - Cam 3 # 14.04.587-9 Ø19 x 32 mm - CPL - Cam A04 # 14.04.589-0


#### Left Hand version:

90°

Ø19 x 20 mm - CPL - Cam A02 # 14.04.586-9 Ø19 x 25 mm - CPL - Cam A04 # 14.04.587-5 Ø19 x 32 mm - CPL - Cam A04 # 14.04.589-7
























#### ANTI-TWIST PLATE F/PADLOCKABLE CAM LOCKS

#### Application:

For metal lockers


#### Material:


Hardened yellow zinc plated steel

#### Size:

40 x 40 x 2 mm

Item No.: # 14.04.584









#### Application:

For metal lockers and wooden To be used with a padlock.

#### Accessories for one set:

- 1 lock cylinder
- 1 hooked cam plate ce: 39,5 mm
- 1 hex nut

#### Specifications:

Zamak lock body

Steel brackets & cam plate

360 DG turn Chrome plated

F/Schackle size: ø 8 mm

#### Item No.:

 Ø18 x 9 mm
 # 14.04.570

 Ø18 x 16 mm
 # 14.04.571

 Ø18 x 20 mm
 # 14.04.572


 Ø18 x 25 mm
 # 14.04.573

 Ø18 x 30 mm
 # 14.04.574









#### PADLOCKABLE CAM LOCK NO. C901



#### **Application:**

For metal lockers & cabinets. To be used with a padlock.

#### Accessories for one set:

- 1 cylinder ø 19 x 34 mm
- 1 hex nut
- 1 cam plate no. 9

#### **Specifications:**

Cylinder and handle made of zamak - CPL Cam made of steel.


Hex nut made of zamak 360° turn


Shackle hole ø 9,5 mm

Item No.:

# 14.04.590







#### PADLOCK 40MM, FULL PLASTIC COVER

#### **Description:**

Brass padlock ø6,2 mm hardened steel shackle.

2 SISO metal keys if key to differ. If key alike only 1 SISO metal key. Full matt black plastic cover to avoid damaging cabinets.

**Body size:** 40 x 36 x 19,3 mm.


Minimum 800 key combinations or key alike (KA).

#### Item No:

Padlock 40 mm, 800 key combinations W/3 metal keys # 14.04.597-9

Padlock 40 mm, key alike KA:1 W/1 metal keys # 14.04.598

Padlock 40 mm, key alike KA:2 W/1 metal keys # 14.04.599









## COMBINATION PADLOCK 4-DIGITS W/MASTER KEY

#### **Application:**

For metal lockers & cabinets.

To be used with padlockable cam lock.

#### Accessories for one set:

1 padlock body - 41,5 x 81,6 x 18,5 mm (W/H/D)

1 shackle - ø6,3 x 32mm outer width


#### **Specifications:**


Lock body - zamak – black anodized Shackle made of hardend steel 4 digits from 0 - 9

Pre-coded 0000. Code can be re-set. W/master key system AP001

#### Item No.:

Lock # 14.04.594-0 Master key # 14.04.594-9







#### **SETTING YOUR OWN COMBINATION**

Your new resettable combination padlock is preset to open at 0-0-0-0, even though dials may be positioned at other numbers.



#### Step 1

Turn the dials and align the numbers to preset combination 0-0-0-0 so they are clearly visible inside the `windows`.



#### Step 2

Pull out the shackle.



#### Step 3:

Turn the shackle counterclockwise 90°.



#### Step 4:

Press the shackle down all the way, hold it firmly and turn the dials to your own desired combination. Do not let go of the shackle before completely setting the desired combination.



#### Step 5:

Release the shackle and return it back to the original position. Your new personal combination is now ready to use. Keep your combination in a safe and accessible place for Mire reference.

#### HOW TO CHECK THE MISSING COMBINATION

When forget the number, you can use Master Key to open the lock and decode the number.



#### Step 1:

Use the Master Key.



#### Step 2

Turn the key  $90^{\circ}$  clockwise to open the lock and release shackle.



#### Step 3

Rotate the dials, till it stop (do this process for all dials).



#### Step 4:

Then you got the previous setting combination.



#### Step 5:

After you found the opening combination. Please remember to close the cab then take out the key. The lock can be used again.

#### HIGH SECURITY PADLOCK W/MASTER KEY - 4000 KD

#### Specifications:


Brass padlock - SS-look. ø7mm hardened steel shackle.

Body size: 40 x 31,5 x 20 mm

Incl. 2 x blue keys w/key code 4000 key combinations Master key system 0001.

#### Item No.:

Lock # 14.04.606-0 Master key # 14.04.606-5





#### **BLUETOOTH RECHARGEABLE INDOOR PADLOCK "E-PAD"**



#### Material:

Zamak body Carbon hardened steel 7,0 mm shackle

#### Total size:

60 x 43 x 16 mm

#### **Humidity:** IP44

#### **Battery:**

Lithium 100mAh/3,7V

Micro USB 2.0

#### Operated:

IOS or Andriod

Item. No.: # 14.04.601


Included 2 Keys

& USB Charging Cable











Before use: download our E-LOCKS App on App Store or Google Play. You can find the user guide on www.siso.dk

App Store

Google Play

User Guide













#### **CENTRAL LOCK NO. 851N - SIDE MOUNTED**

#### Application:

Side mounted central lock on left or right side of the pedestal

#### Accessories for one set:

- 1 lock premounted aluminium locking bar 500, 600, 800 or 1200 mm Other lengths upon request
- 1 rosette
- 2 bar guides
- 3 adj. pegs 13 mm
- 2 SISO car keys
- 4 mounting screws

#### **Function:**

Turn key 180° locking bar moves down 9 mm to lock any numbers of drawers

#### **Specification:**

Lock, pegs - zamak Locking bar - aluminium Rosette, keys, screws - steel Bar guides - steel 400 different key combinations Master key & Interchangeable system available on request

#### Option:


Adjustable pegs 5, 6, 8, 11 or 19 mm available from stock


#### Finish:


Nickel plated Other finish upon request


**Item No.:** # 14.01.319 etc.

















#### CENTRAL LOCK NO. 851 "CPH"



#### Application:

Side mounted central lock on left or right side of the pedestal

#### Accessories for one set:

- 1 lock premounted aluminium lock bar in 500 mm.
- 1 rosette
- 2 bar guides
- 3 adj. pegs 8 mm
- 2 "CPH" hinged car keys

#### **Function:**

Turn key 180° locking bar moves down 9 mm to lock any numbers of drawers

#### Specifications:


Zamak lock body, cylinder and pegs Aluminium locking bar Steel rosette, keys, bar guide & screws Cylinder size: ø19 x 20,5 mm 80 key combinations


#### Finish:

Chrome plated


**Item No.:** # 14.01.340





















#### **Application:**

Central lock mounted into side of the pedestal either right or left side suitable only where drawer front goes inside the cabinet

#### Accessories for one set:

1 lock body 2 SISO car keys

Locking bars & accessories to be bought seperately

#### **Function:**

Push cylinder and locking bar move up 9 mm to block or lock the drawers To open: turn key and locking bar move down to open drawers

#### **Specifications:**


Lock body - zamak Cylinder - brass Keys - steel 600 key combinations


#### Finish:


Nickel plated

#### Item No.:

Lock: # 14.03.036-0 Alu. locking bar 500 mm # 14.03.036-9 Adjustable pegs 13 mm # 14.04.330 Bar Guide - Steel # 14.04.091







#### CENTRAL LOCK NO. 1018 - FRONT MOUNTED





- 1 lock body
- 1 rosette
- 1 locking bar 500, 600, 700, 800
- 2 bar guides metal
- 3 adj. pegs 13 mm
- 2 SISO car keys

#### **Function:**

Turn key 180° the locking bar move up to block/lock any numbers of drawers

#### Specification:

Lock, pegs - zamak Locking bar - aluminium Rosette, key - steel 400 key combinations Master key & Interchangeable system available on request


#### **Option:**

Adj. pegs 5, 6, 8, 11, or 19 mm Available on stock other Lengths of locking bars On stock 1200 and 1300 mm

#### Finish:

Nickel plated Black anodized Aluminium finish Other finishes upon request


**Item No.:** # 14.03.104 etc.







Item No.: # 14.02.011




OPTIONAL




Item No.: # 14.02.030

**OPTIONAL** 




L = 500, 600, 700, 800, 1200 or 1300 mm



#### **OPTIONAL**



Item No.: # 14.02.010



Item No.: # 14.02.020








#### **CENTRAL LOCK NO. 1018 - ANTITILT SOLUTION**

Central lock No. 1018 as described and illustrated on separate page for this lock, but here on this page illustrated as a simple antitilt solution mainly applied on PEDESTALS. Illustrated below are special locking bar needed for this system and different accessories. Please advise all sizes: L, A, B, C to customize bars for you.

#### ANTITILT BLOCKS Item No.: 14.03.270 etc.










20 (1)


**ADJUSTABLE PEGS** Item No.: 14.04.309 etc.



#### **CATCH GUIDES** Item No.: 14.03.280 etc.







#### CENTRAL LOCK NO. 1018 "CPH"



#### Application:

Front mounted central lock on left or right side of the pedestal

#### Accessories for one set:

- 1 lock
- 1 rosette
- 1 locking bar 500, 600 or 800 mm
- 2 bar guides
- 3 adj. pegs 8 mm
- 2 "CPH" hinged car keys

#### Function:

Turn key 180° locking bar moves up To block/lock any numbers of drawers

#### **Specifications:**

Zamak lock body, cylinder and pegs Aluminium locking bar Steel rosette, keys, bar guide & screws Cylinder size: ø19 x 20 mm 80 key combinations


#### Finish:


Chrome plated


#### Item No.:


W/500mm bar # 14.03.160 W/600mm bar # 14.03.165 W/800mm bar # 14.03.167



















L = 500, 600 or 800 mm



#### **Application:**

Central lock mounted into side of the pedestal either right or left side suitable only where drawer front goes inside the cabinet

#### Accessories:

- 1 lock body
- 1 mounting clip
- 1 locking bar 500 or 700 mm others lengths upon request
- 3 adj. pegs 13 mm standard
- 2 bar guides
- 2 SISO car keys

#### **Function:**

Turn key 180° and locking bar moves up to lock/block any amount of drawers

#### **Specification:**

Lock, pegs - zamak Clip, key, bar guides - steel Locking bar - aluminium 400 key combinations Master Key system available on request


#### **Options:**


Adjustable pegs 5, 6, 8, 11 or 19 mm available on stock

#### Finish:

Nickel plated

**Item No.:** # 14.04.034 etc.





#### **BOX LOCKS**



#### **CUPBOARD LOCK "AFRIC"**

Yellow zinc plated, double handed 2 lever = 10 differs Each lock supplied 2 neutral zamak keys For vertical + horizontal use

Item No.: # 14.06.145

#### 



#### BOX LOCK No. 2110 - 15 mm backset


Universal for right/left or draw


#### Locking system:

For eurobit key - 1 lever key no differs

#### Item No.:

Nickel Pl. #14.06.212 Brass Pl. #14.06.213 Bronze Pl. #14.06.214







#### BOX LOCK No. 2110 - 20 mm backset


Universal for right/left or draw

#### Locking system:

For eurobit key - 1 lever key no differs

#### Item No.:

Nickel Pl. #14.06.216 Brass Pl. #14.06.217







#### BOX LOCK No. 2110 - 25 mm backset


Universal for right/left or draw

#### Locking system:

For eurobit key - 1 lever key no differs

#### Item No.:

Nickel Pl. #14.06.235 Brass Pl. #14.06.237






#### BOX LOCK No. 2110 - 30 mm backset

Universal for right/left or draw **Locking system:** 

For eurobit key - 1 lever key no differs

#### Item No.:

Nickel Pl. #14.06.245 Brass Pl. #14.06.246





#### **MORTISE LOCKS**



#### Application:

Universal left, right and draw


#### Specification:


For eurobit key - 1 lever key Lock made of plain steel Rounded front plate made of brass Key alike

From 15 to 30 mm backset

#### Item No.:

15 mm backset # 14.06.028 20 mm backset # 14.06.029 25 mm backset # 14.06.030 # 14.06.035 30 mm backset





#### MORTISE CHEST LOCKS

#### **MORTISE CHEST LOCK** - 20 mm backset


#### **Function:**


Right hand and draw position Front plate + striking plate brass rounded

Lock body steel plain

**Locking system:** For eurobit key - 1 lever key Key alike

# 14.06.064 Item No.:





#### **FURNITURE KEYS**





ALL KEYS SUPPLIED EUROBIT... for 1 lever locks only

**MODEL 9512** - effective shaft lenghts 35 mm Zamak, nickel plated, brass plated, bronze plated and chrome plated



**MODEL 7772** - effective shaft lenghts 35 mm Zamak, nickel plated, brass plated and bronce plated



MODEL "MMI" - beech or maple wooden head, effective shaft lenghts 35 mm
Zamak, matt nickel plated



MODEL 0007 - effective shaft lenghts 35 mm Zamak, nickel plated, brass plated and bronce plated



MODEL 7170 - effective shaft lenghts 35 mm Zamak, nickel plated, brass plated and bronze plated



**MODEL K-1026** - effective shaft lenghts 42 mm Zamak, nickel plated and brass plated





**MODEL** "LYRE" - effective shaft lenghts 45 mm Zamak brass plated and bronce plated



#### MODEL "REGENCY"


Zamak, nickel plated, brass plated and bronze plated



**MODEL "DIMINUTIVE"** - effective shaft lenghts 35 mm Zamak bronce plated. Other finish upon request



Item No.: # 14.10.046



**MODEL 1028** - effective shaft lenghts 18 mm Zamak, nickel plated, brass plated and bronze plated




**MODEL "ROCOCO"** - effective shaft lenghts 40 mm Zamak, nickel plated, brass plated and bronze plated




#### **ESCUTCHEONS**




PLASTIC ROUND Nickel Plated Matt Front Ø 25 mm - knock in 20 mm Ø x 14 mm Item No.: # 14.11.040



PLASTIC RECTANGULAR Nickel Plated Matt Front 20 x 28 mm - knock in 20 mm Ø x 5 mm Item No.: # 14.11.061




**ZAMAK OVAL Nail On Type Bronce or Brass Plated** Front 20 x 48 mm **Item No.:** # 14.11.150 etc.



**ZAMAK ANTIQUE Bronce or Brass Plated** Front 25 x 38 mm - knock in 18 mm  $\emptyset$  x 8 mm **Item No.:** # 14.11.180 etc.



**ZAMAK ROUND Nickel Plated Matt** Front Ø 25 mm - knock in 18 mm Ø x 14 mm **Item No.:** # 14.11.041



ZAMAK ANTIQUE Nail On Type Bronce or Brass Plated Front 25 x 45 mm

Item No.: # 14.11.170 etc.



MODEL No. 7891 Front 25 x 35 mm Item No.: # 14.11.205



#### ESPAGNOLETTE LOCK NO. 922 & H-922

#### Application:

Wardrobes, lockers, cabinets and others

#### Accessories one set:

- 1 lock right or left handed 16,5 or 19 mm cyl. diam
- 1 rosette
- 2 SISO car keys
- 2 hooks and holders top and bottom
- 2 bar guides
- 2 stoppers either eccentric or triangular

Locking bars to be ordered separately Available in lenghts of 1000, 1200, 1500 and 2000 mm in nickel plated, brass plated and bronze plated

#### **Function:**

Turn key and locking bars will rotate. Hooks will move behind the stops. Cam extend from the lock case and door will be locked at 3 points

#### Specification:

400 different key combinations or key alike


15 mm backset

25 mm backset on request Master key & Interchangeable system available on request

#### Finish:

Zamak body in nickel plated, aluminium finish or black zinc Plastic body in burgundy or black

Item No.: # 14.05.268 etc.





### ESPAGNOLETTE LOCK MODEL NO. 924 W/KNOB \$\\$\\$\\$\\$\\$\\$



#### **Application:**

Wardrobes, lockers and cabinets

#### Accessories one set:

- 1 lock body right hand
- 1 knob + pin
- 2 hooks and holders top/bottom
- 2 bar guides
- 2 eccentric stops

Locking bars to be ordered separately. Available in lenghts of 1000, 1200, 1500 and 2000 mm in nickel plated, brass plated and bronze plated

#### **Function:**

Turn the knob to lock/unlock in 3 points

#### **Specification:**

Lock designed for 19/20 mm panel thickness.

For other thicknesses please ask for 400 different key combinations or key alike


15 mm backset

Master key & Interchangeable system available on request

#### Finish:


Zamak body & knob in nickel plated, aluminium finish, brass plated,

**Item No.:** # 14.05.233 etc.



#### **KNOB MOUNTING INSTRUCTION FOR LOCK No. 924 "MIC"**

Set the lock in locked position by turning inside the square a screw driver etc. Insert the door knob into the lockbody taking care that the square end stays upwards. Insert the pin and press the spring loaded pin inside the square. While doing so press the knob forward into the square. As the door knob move forward, remove the pin and continue pushing till the door knob clicks into the square (when the spring loaded pin in the square anchor into the knob axis).





#### **Application:**

Wardrobes/cabinets

#### Accessories one set:

- 1 lock case
- 2 hooks top/bottom
- 2 bar guides
- 2 eccentric stops

Keys & locking bars to be ordered separately. Bars available in lenghts of 1000, 1200, 1500 and 2000 mm in nickel plated, brass plated and bronze plated

#### **Function:**

Turn key and locking bars will rotate to make hooks fastened behind the stops cam extend from the lock case and locking at 3 points of the door

Universal right/left hand of the door


#### Optional:

Stoppers on triangular plate A-1036

#### Finish:

Zamak body in nickel plated, brass plated or bronze plated Plastic body in brown colour

Item No.: # 14.05.310 etc.



#### PASQUIL LOCK NO. 7080 - EXTENTION BARS LOCK



#### **Application:**

Heave duty drawers, windows doors, wardrobes and cabinets

#### Accessories one set:

- 1 lock ø 19 x 22 mm
- 1 rosette
- 4 bar guides
- 2 sockets
- 2 SISO car keys

Locking bars to be ordered separately Available in lenghts of 1000, 1200 and 2000 mm in nickel plated

#### **Option:**

16,5 mm cyl. diam. and longer cyl. lenghts

#### **Function:**

Turn key 180° and locking bars extend up and down 9 mm to lock and unlock

#### Specification:

400 different key combinations or kay alike


Locking bars available in 1000, 1200, 2000 mm lenghts from stock

Other lenghts upon request Master Key system available on request


#### Finish:

Nickel plated


Item No.: # 14.05.300 etc.













#### **Description:**

Pasquil cabinet lock 844 out bar but accessories

#### Finish:

Black coated

or antique bronze, YZP for locking bar

#### Item No:

**Black coated** 


Pasquil cabinet lock # 14.05.551 # 14.05.560-5 Locking bar 1500 mm


#### **Antique bronze**


Pasquil cabinet lock # 14.05.550 Locking bar 1500mm # 14.05.560-0











#### CAM LOCK NO. X-44 F/METAL FURNITURE



#### Application:

Steel drawers, cabinets, lockers Snap in fixing

Maximum panel thickness 2 mm

#### Accessories for one set:

1 lock

1 cam No. 27

2 SISO car keys

#### Function:

Turn key 90° or 180° to lock/unlock

#### **Option:**

Other cam style/size Other rotation angle

#### Specification:


Zamak lock body & cylinder Steel spring clip, cam & keys 400 key combinations Master Key system available on request

#### Finish:

Chrome plated

Item No.: # 14.08.070 etc.





#### CENTRAL LOCK NO. 44D F/METAL FURNITURE

#### Application:

Multi drawer pedestal Filing cabinets Snap in fixing Maximum panel thickness 2 mm

#### Accessories for one set:

1 lock

2 SISO car keys

#### **Function:**

Turn key 180° to move self made locking bar to lock/unlock any number of drawers


#### **Specification:**

Zamak lock body & cylinder Steel spring clip, cam & keys 400 key combinations Master Key system available on request

Chrome plated

Item No.: # 14.08.090 etc.







#### Application:

For steel cabinets, garage doors, lockers, wardrobes & vehicles

#### Accessories for one set:

1 lock handle 2 SISO car key

#### **Function:**

90° turn

Turn key to lock handle in closed position

#### **Specifications:**

Zamak lock body, handle & cylinder Steel cam & keys 400 Key combinations or key alike

#### Finish:

Chrome plated

# 14.08.052 Item No.:



#### T-HANDLE #1821 (Back mounted)

#### Application:

For steel cabinets, garage doors, lockers, wardrobes & vehicles

#### Accessories for one set:

1 lock handle 2 SISO car key

#### **Function:**

90° turn

Turn key to lock handle in closed position

#### **Specifications:**


Zamak lock body, handle & cylinder Steel cam & keys

400 Key combinations or key alike

#### Finish:

Chrome plated

Item No.: # 14.08.054



#### T-HANDLE NO. T-44



#### Application:

Steel cabinets, lockers, wardrobes, vehicles

#### Accessories for one set:

- 1 lock handle
- 1 cam plate
- 1 back plate
- 2 SISO car keys

Mounting screws

#### **Function:**

Turn handle 90° to lock/open. turn key to lock handle in closed position
Can be applied self made pasquil bars for 3-way locking

#### Specification:


Zamak lock body,handle & cylinder Steel cam & keys 400 key combinations or key alike Master Key system available on request

#### Finish:

Chrome plated

Item No.:

# 14.08.055



#### T-HANDLE NO. 177

#### **Application:**

Steel cabinets, lockers, wardrobes, vehicles

#### Accessories for one set:

- 1 lock handle
- 2 SISO car keys

#### **Function:**

Turn handle 90° To lock/open.

Turn key to lock handle in closed position

Can be applied self made pasquil bars for 3-way locking


#### Specification:

Zamak lock body,handle & cylinder Steel cam & keys 400 key combinations or key alike Master Key system available on request

#### Finish:

Chrome plated

Item No.: # 14.08.056





#### **Application:**

Steel cabinets, lockers, wardrobes, vehicles

#### Accessories for one set:

- 1 lock handle
- 1 cam plate
- 1 back plate
- 2 SISO car keys

Mounting screws

#### **Function:**

Turn handle 90° to lock/open, turn key to lock handle in closed position

Can be applied for 3-way locking self made pasquil bars

#### **Specification:**


Zamak lock body,handle & cylinder Steel cam & keys 400 key combinations Master Key system available on request

#### Finish:

Chrome plated

#### Item No.:

Key to differ # 14.08.036 Key alike # 14.08.037



#### LOCKER HANDLE NO. 8813

#### Application:

Steel cabinets, lockers and wardrobes Easy snap on mounting No screws required

#### **Function:**

Turn handle 90° to lock/open Turn key to lock handle when in closed position Can be applied self made Pasquil bars as 3-way locking system


#### Specification:

Black plastic house
Zamak handle and lock
Keys, cam - steel
400 key combinations or key alike
Master Key system available
on request

#### Finish:

Handle & back plate in chrome plated or handle in aluminium finish and chrome back plate

Item No.: # 14.08.021 etc.



#### LOCKER HANDLE NO. M-175



Application:
Steel cabinets, lockers & wardrobes

#### **Function:**

Easy snap on mounting Turn handle 90 degree to lock/open
Turn key to lock handle when in closed position


#### Specifications:

Black plastic housing Zamak handle & lock Steel keys & cam
400 key combinations or key alike
Master key system #J11

#### Item No.:


Black body & handle # 14.08.019 Black body & alu handle # 14.08.023








## SISO DENMARK

#### **LOCK ACCESSORIES**

















Locking Bars
for Lock 7080
# 14.05.670 1000 mm Nickel Plated
# 14.05.671 1200 mm Nickel Plated
# 14.05.675 2000 mm Nickel Plated


























































# Adjustable Peg premounted screw # 14.04.309 L - 5 mm # 14.04.312 L - 6 mm # 14.04.310 L - 8 mm # 14.04.320 L - 11 mm # 14.04.330 L - 13 mm # 14.04.350 L - 19 mm






# Prolongation Screw for Push Lock 1003 and 1004 No.: 5 mm #14.04.418 10 mm #14.04.419 20 mm #14.04.420













All W/SISO Hinged Car Keys. Key to Differ or Key Alike **No.** # 14.03.801 - 14.04.067



## Loose Cylinders F/System #01 All with SISO Snake Keys Key to differ for Key Alike No.: # 14.03.300 ect.

#### Master key F/System #J11 & #J12

No.

#J11 # 14.04.119 #J12 # 14.04.123



#### Interchangeable key F/System #J11 & #J12

No.

#J11 # 14.04.127 #J12 # 14.04.129



#### Short Metal Key harpoons for knocking into decorative knobs

**No.** # 14.04.081





## Key Knob Zamak Matt Chrome Finish No. # 14.04.080



#### **SQUARE ROSETTES**

#### Application:

These square rosettes can be used for locks like model: 850, 1018, 1003, Espagnolette

#### Specifications:


For cylinder ø16,5 and ø19 mm Size: 22 x 22 mm or 25 x 25 mm 9 mm height

#### Finish:

Aluminium finish & nickel plated

#### Item No.:

ø 16,5 mm, NPL # 14.04.302 ø 16,5 mm, ALU # 14.04.303 ø 19 mm, NPL # 14.04.305 ø 19 mm, ALU # 14.04.306





#### **GLASS DOOR LOCK "MINI" SLIDING DOORS**

#### MODEL "MINI"

#### Finish

Chrome plated

#### **Aplication**

Glass sliding door

#### Accesories for 1 set

1 lock


2 car keys 1 nut

#### **Function**

to lock - push the cylinder to unlock - turn key

50 key combinations # 14.03.040 Key alike # 14.03.041





#### BRASS GLASS DOOR LOCK "SWAN" FOR 8-10 MM GLASS

#### MODEL "SWAN"

Finish Gold plated # 14.09.000 Chrome plated # 14.09.001

#### Material


Brass

#### Consists of:


- 1 cylinder ø20 x 23 mm
- 1 front plate w/bottom support 40 x 40 mm
- 1 back plate 40 x 40 mm
- 2 SISO metal keys, key alike
- 2 transparent cushions
- 1 hexagonal nut
- 1 off-set brass cam
- 1 raised brass striker

#### **Function**

Turn key 180° to lock or unlock









#### **GLASS DOOR LOCK "AUDIO"** - NO DRILLING

#### **MODEL "AUDIO"**

#### **Finish**

Plastic black # 14.09.256

#### Application

Hinged glass doors particularly for audio/hi-fi cabinets No boring required

#### Accessories for one set

1 lock

1 washer

2 screws 2 keys


#### **Function**

Turn key 180° to lock or unlock

#### Specification

Plastic/metal combination one key change only





#### GLASS DOOR LOCK C409 SLIDING DOORS

#### MODEL C409

#### Finish:

Zamak, chrome plated

#### Application:

Glass sliding doors

#### Accessories for one set:


- 1 plug-in zamak cylinder
- 1 zamak housing (2 parts)
- 3 transparent PVC washers
- 2 steel screws
- 2 brass keys

#### **Function:**

Place cylinder into lock case, turn and remove key, key removable in locked position only

#### Specification:

25 key combinations # 14.09.300 or key alike # 14.09.315



#### SOFT PLUG F/SLIDING DOOR LOCK C409


#### Application:

For lock C409 to seal the cylinder hole when not locked.

#### Specifications:

Grey silicon RAL 7010

Item No.: # 14.09.303



Ø 25



Ø16

#### **GLASS DOOR LOCK VITRIO "M"** - HINGED DOORS



#### **MODEL "VITRIO"**

#### **Finish**

Chrome plated # 14.09.350 Brass plated # 14.09.360

#### **Application**

Double hinged glass doors Accessories for one set

A) left door

1 decorative cylinder

1 stainless steel front plate

1 hexagonal nut

1 plastic washer

B) right door 1 off-set hook cam

1 stainless steel front plate

1 hexagonal nut

1 plastic washer 2 car keys

#### **Function**

Turn key 90° to lock or unlock

#### **Specification**


Cylinder zamak

front plates stainless steel 400 key combinations or key alike

Option

Master key system





#### **GLASS DOOR LOCK NO. 750**

#### Model 750

#### Finish:

Chrome Pl. - 100 mm - KD # 14.09.025 Chrome Pl. - 100 mm - KA # 14.09.012 Chrome Pl. - 135 mm - KD # 14.09.030 Chrome Pl. - 135 mm - KA # 14.09.013

#### Application:

Glass sliding doors

#### Accessories for one set:

1 removable lock

1 rachet 100 or 135 mm

1 screw w/protection pad

2 metal keys


#### Function:

Push the rachet into the flat end of the lock Turn key 180° and remove key to activate the lock

#### **Specification:**

Zamak lock body Steel rachet & keys 25 key combinations







# PUSH BUTTON LOCK #8600 "M" F/DOUBLE SLIDING GLASS DOORS

#### **MODEL #8600**

**Finish** 

Chrome plated # 14.09.420 Alu finish
Application # 14.09.423

Double sliding glass doors

on alu rails

#### Accessories

1 lock cylinder ø 22 mm 1 grub screw for fastening 2 metal keys, double entry

#### **Function**


Push cylinder to lock Turn key to unlock

Specification

Zamak house: 28 x 24 x 12 mm

400 key combinations or key alike Option:

Master key






## **ACCESSORIES**

#### **BOTTOM TRACK**

Aluminium:

Anodized # 22.26.030

Standard length: 2 metres




#### **TOP E-TRACK**

Aluminium:

Anodized # 22.26.010

Standard length: 2 metres




#### **GLASS H-RAIL**

Aluminium:

Anodized # 22.26.020

Standard length: 2 metres

For 5 - 6 mm glass thickness



**TROLLEY** w/Nylon Wheels # 22.26.040 Nickel plated Load capacity: 3 kg

50.6



**U-SPLINE PVC** Rolls of 100 mts

# 22.26.060

SILENCER Plastic, clear Bags of 100 pcs # 22.26.070

**END CAP ZAMAK** 

Chrome plated Alu finish

# 22.26.050 # 22.26.049







# **MOUNTING INSTRUCTION F/LOCK #8600**






FW = Frame width (inside measurement)

GW = Glass width


FH = Frame height (inside measurement)


GH = Glass height


R = Rail length




# How to prepare glass door size?













# PUSH BUTTON LOCK #2010 "M" F/DOUBLE SLIDING GLASS DOORS

#### **MODEL #2010**

#### **Finish**

Alu finish # 14.09.460 Chrome plated # 14.09.461 # 14.09.463 Gold mat plated Gold bright plated # 14.09.462

#### **Application**

Double sliding glass doors premounted on aluminium frame

#### Accessories for one set

- 1 cylinder push lock ø22 mm
- 1 universal bottom part premounted for insertion into H-rail on left or right side
- 2 grub screws for fastening onto the h-rail
- 5 allen keys for every 20 lock sets for tightening the grub screws
- 2 car keys, double entry

#### **Function**

Push cylinder to lock and turn key to unlock


#### Specification

Zamak with 400 key combinations or key alike

#### Option

Master key system





#### **ACCESSORIES**

## **U-SPLINE PVC**

# 22.26.060 Rolls of 100 mts

#### SILENCER # 22.26.070 Plastic, clear Bags of 100 pcs

#### **END CAP ZAMAK**


Chrome plated # 22.26.051 Alu finish # 22.26.052



#### **BOTTOM TRACK**


Aluminium:

# 22.26.030 Anodized Standard length: 2 metres



Aluminium:


# 22.26.010



## TOP E-TRACK

Anodized

Standard length: 2 metres



#### **GLASS H-RAIL**

Aluminium:


**TROLLEY** 


Nickel plated

# 22.26.021 Anodized Standard length: 2 metres For 5 - 6 mm glass thickness

w/Nylon Wheels

# 22.26.041







Load capacity: 3 kg

# MOUNTING INSTRUCTION F/LOCK #2010



#### **SYSTEM #2010**

FW = Frame width (inside measurement)


GW = Glass width

FH = Frame height (inside measurement)


GH = Glass height


R = Rail length


R<sub>Lock</sub> = Rail length for lock





#### How to prepare glass door size?















# PUSH BUTTON LOCK #2740 "M" W/STRIKER

#### **Application**

Double sliding glass doors
Premounted on aluminium frame

#### **Function**

Push & turn cylinder with key to lock & turn key to unlock.
Can be installed into H-rail on left or right side

#### **Specification**

Zamak with 400 key combinations, key alike or/and master key system

#### 1 set consists of

- 1 cylinder push lock ø 22 mm with hook pin
- 1 striker
- 2 round SISO metal keys, double entry
- 1 hex key 2 mm
- 2 grub screws for fastening onto the H-rail

#### Lock #2740 w/striker


Alu finish - key to differ # 14.09.440 Alu finish - key alike # 14.09.441 Alu finish - w/master key # 14.09.442




Not for sale in Germany, UK, France & Spain










# ACCESSORIES F/LOCK #2740 "M"



Glass door handle - Plastic Alu finish # 14.09.445

F/fixing on H-rail w/grub screw






End cap - Plastic

Alu finish # 22.26.053

F/pressing into H-rail






Trolley - w/ball bearing

Zinc plated # 22.26.042

F/fixing on H-rail be use of tool # 22.26.080

Load capacity: 5 kg pr. trolley






**Bottom frame track** 

Aluminium

Anodized 2 metres length # 22.26.032





**Tool for fixing trolley** 

Blue # 22.26.080












#### **Anti-lift stopper - Plastic**

Transparent # 22.26.075 F/pressing into top E-track to prevent lifting of glass






# **Bottom Track**

Aluminium Anodized 2 metres length


# 22.26.031




#### Top E-track with felt

Aluminium

Anodized 2 metres length # 22.26.011




# 1,2



# Glass H-rail f/ 5 - 6 mm glass Aluminium

Anodized # 22.26.023

2 metres length






#### Side & bottom frame track

Aluminium

# 22.26.025

2 metres length






#### **U-SPLINE PVC** Grey color

Rolls of 100 meters

#22.26.060







# ACCESSORIES F/LOCK #2740 "M"



Bumper frame profile - PVC
Transparent # 22.26.065
2 metres length







#### #2740 MODEL

With frame and high bottom rail (like on picture):

With bumpers at the sides deduct 10 mm from the GW result.

$$GH = H - 40 \text{ mm}$$

$$PROFILE + AIR.$$

Without frame and with low bottom rail:

 $GW = (W + 30 \text{ mm}) \times 0.5$ 



With bumpers at the sides deduct 10 mm from the GW result.

W = Inside width of frame

GW = Glass width

H = Inside height of frame

GH = Glass height





#### **MODEL #907**

#### Finish

Chrome plated # 14.09.417 Mat nickel plated # 14.09.416 Gold plated # 14.09.418 Black anodized # 14.09.419

#### Application

#### Glass sliding doors

#### Accessories

1 lock

2 car keys, double entry 2 transparent washers

#### **Function**

Push and turn key 90° to lock or unlock

#### **Specification**


Zamak

400 key combinations or key alike

#### **Options**

Master key system





# GLASS DOOR LOCK #910 "MIC" SINGLE DOOR, HINGED

#### **MODEL #910**

#### Finish

Chrome plated # 14.09.108

#### **Application**

Glass hinged doors 4-6 mm Ø 25 mm Bore

#### Accessories for one set

1 cylinder lock

5 washer (plastic & rubber)

1 zamak stopper

2 metal keys, double entry

Turn key 180° to lock or unlock - w/click sound

#### **Specification**


400 key combinations or key alike

#### **Options**

Master key and

interchangeable system





# GLASS DOOR LOCK #689 "MIC" SINGLE DOOR, HINGED



#### **MODEL #689**

#### **Finish**

Chrome plated # 14.09.130 Mat nickel plated # 14.09.131 Gold plated # 14.09.129 Alu finish # 14.09.132 Black anodized # 14.09.128

#### **Application**

Glass hinged doors 4-6 mm

#### Bore: Ø 26 mm

#### Accessories for one set

- 1 cylinder lock
- 5 plastic washer
- 1 zamak stopper
- 2 car keys, double entry

#### **Function**

Turn key 180° to lock or unlock - w/click sound

#### Specification

Zamak


400 key combinations or key alike

#### Option


Master key

and interchangeable system





## DOUBLE DOOR COVER/STRIKER FOR LOCK #685






## **DOOR STOPPER**

#### DOOR STOPPER w/hole

Finish: black plastic # 14.09.118

Application: inset glass door hinged Recommended to use with locks X-689 and 910 (as a stopper and striking plate)







# GLASS DOOR LOCK #916 "M" DOUBLE OR SINGLE DOORS, HINGED

#### **MODEL #916**

#### **Finish**

Black anodized # 14.09.047 Chrome plated # 14.09.048

#### **Application**

Hinged glass doors 4-6 mm Bore Ø 19 mm

#### Accessories for one set

1 cam lock

- 1 straight steel cam
- 1 plastic washer + 1 hex nut
- 1 flat striking plate: 11 x 57 mm
- 2 car keys, double entry
- 1 front plate zamak

#### **Function**

Turn key 180° to lock or unlock - w/click action


#### **Specification**

Plate & house: zamak 400 key combinations or key alike

#### Option

Master key system





# GLASS DOOR LOCK "SAFE" "M" SINGLE DOOR, HINGED

#### **MODEL "SAFE"**

#### **Finish**

Chrome plated # 14.09.320

#### **Application**

Single glass door, hinged

Bore Ø 19 mm

#### Accessories for one set

- 1 cam lock
- 1 hexagonal nut
- 1 plastic washer
- 1 straight cam
- 1 front plate
- 1 flat striking plate
- 2 car keys, double entry

#### **Function**

Turn key 90°

to lock or unlock - w/click sound

#### **Specification**


Zamak

400 key combinations or key alike

#### Option

Master key system





# GLASS DOOR LOCK "VETRO" "MIC" SINGLE DOOR, HINGED



#### **MODEL "VETRO"**

#### **Finish**

Chrome plated # 14.09.261 Gold plated # 14.09.260 Black anodized # 14.09.262

#### **Application**

Single glass door, hinged No boring required

#### Glass thickness: 4 - 6 mm

#### Accessories for one set

- 1 lock w/front plate:
- 2 fastening screws
- 1 flat striking plate
- 2 car keys double entry
- 1 plastic distance plate

#### **Function**

Turn key 180° to lock and reverse to unlock

#### Specification

Zamak

400 key combinations


or key alike

#### Option

. Master key

and interchangeable system





# GLASS DOOR LOCK "VETRO-DOUBLE" "MIC" DOUBLE DOORS, HINGED

#### **MODEL "VETRO-DOUBLE"**

#### Finish

Chrome plated # 14.09.270 Gold plated # 14.09.271 Black anodized # 14.09.272

#### **Application**

Double glass doors, hinged

No boring required

#### Glass thickness: 4 - 6 mm

#### Accessories for one set

- 1 lock w/front plate
- 2 fastening screws
- 1 flat striking plate
- 2 car keys double entry
- 1 plastic distance plate

#### **Optionals**

Door stopper # 14.09.118 Spring stopper # 14.09.119

#### Function

Turn key 180°

to lock and reverse to unlock

#### **Specification**


Zamak, 400 key combinations or key alike

#### Option

Master key

and interchangeable system







# GLASS DOOR LOCK #64081 "MIC" SINGLE DOOR, HINGED

#### **MODEL #64081**

#### **Finish**

Chrome plated # 14.09.210
Gold plated # 14.09.211
Black anodized # 14.09.212

#### **Application**

Single glass door, hinged No boring required

#### Glass thickness: 4 - 6 mm

#### Accessories for one set

- 1 lock w/front plate
- 2 fastening screws
- 1 flat striking plate
- 2 car keys double entry
- 1 plastic distance plate

#### **Function**

Turn key 180° to lock and reverse to unlock

#### Specification

Zamak


400 key combinations or key alike

#### Option

Master key

and interchangeable system





# GLASS DOOR LOCK #917 "MIC" NO BORE - DOUBLE DOORS, HINGED

#### **MODEL #917**

#### **Finish**

Chrome plated # 14.09.220 Alu finish # 14.09.223

#### **Application**

Double glass doors, hinged No boring required

#### Glass thickness: 4 - 6 mm

#### Accessories for one set

- 1 lock w/large front plate
- 2 fastening screws
- 1 flat striking plate
- 2 car keys double entry
- 1 plastic distance plate

#### **Optionals**

Door stopper # 14.09.118 Spring stopper # 14.09.119

#### **Function**

Turn key 180° to lock and reverse to unlock

#### **Specification**

Zamak


400 key combinations or key alike

#### Option

. Master key

and interchangeable system





# GLASS DOOR LOCK #918 "MIC" NO BORE - SINGLE DOOR, HINGED



#### **MODEL No. 918**

#### **FINISH**

Chrome plated # 14.09.217 Alu finish # 14.09.217-1

#### **Application**

Single glass doors, hinged No boring required

#### Glass thickness: 4 - 6 mm

#### Accessories for one set

- 1 lock w/front plate
- 2 fastening screws
- 1 flat striking plate
- 2 car keys double entry 1 plastic distance plate

#### **Optionals**

Door stopper # 14.09.118 # 14.09.119 Spring stopper

#### **Function**

Turn key 180°

to lock and reverse to unlock

#### **Specification**

. Zamak


400 key combinations or key alike

#### Option

Master key

and interchangeable system





## STRIKER (FOR LOCK #918) FOR DOUBLE HINGED DOORS

#### MODEL "STRIKER"

#### **Finish**

Chrome plated # 14.09.246 Alu finish # 14.09.247 Gold plated # 14.09.248

#### **Application**


Double glass door, hinged No boring required

Glass thickness: 4 - 6 mm

#### Accessories for one set

- 1 lock w/front plate
- 2 fastening screws
- 1 flat striking plate
- 1 plastic distance plate







# DOOR BAR HANDLE LOCKS SS-304 F/GLASS DOORS

#### Application:

For locking of glass doors by use of key or turn knob. Suitable for 8-12 mm glass

#### Specifications:


Bar handle ø 35 x 1500 mm Incl. floor socket w/spring dust cover Cylinder w/5 metal keys or turn knob 5000 KD on cylinder version

#### Material:

Stainless steel SS-304 - brushed

#### Item No:

W/cylinder & knob # 14.60.600 W/knob on one side # 14.60.610 W/cylinder on 2 sides # 14.60.615





# COMBINATION LOCK "JACKS" LEFT OR RIGHT – 90 OR 180°



#### **Application:**

For metal or wooden doors, drawers, cabinets & boxes.

#### Accessories for one set:

- 1 turn knob ø39.5 mm
- 1 cylinder ø 19 x 16/20/25 or 30 mm
- 1 cam plate A04 C.E.: 40 mm
- 1 hex nut

#### Specifications:

Turn knob & cylinder made of zamak Cam & hex nut made of steel, NPL

3 digits from 0 - 9

Cylinder size: ø19 x 16/20/25 or 30 mm 90° turn. Can be changed to 180°. Left or right hand version. Can be changed. Chrome plated or black anodized

#### Item No.:

ILGIII INO	
ø19 x 16 mm, Right, 90°, Chrome	# 14.08.210-0
ø19 x 16 mm, Left, 90°, Chrome	# 14.08.210-5
ø19 x 16 mm, Right, 90°, Black	# 14.08.211-0
ø19 x 16 mm, Left, 90°, Black	# 14.08.211-5
ø19 x 20 mm, Right, 90°, Chrome	# 14.08.213-0
ø19 x 20 mm, Left, 90°, Chrome	# 14.08.213-5
ø19 x 20 mm, Right, 90°, Black	# 14.08.214-0
a10 v 20 mm   off 00° Plack	# 14 00 014 E

 Ø19 x 20 mm, Left, 90°, Black
 # 14.08.214-5

 Ø19 x 25 mm, Right, 90°, Chrome
 # 14.08.216-0

 Ø19 x 25 mm, Left, 90°, Chrome
 # 14.08.216-5

 Ø19 x 25 mm, Right, 90°, Black
 # 14.08.217-0

 Ø19 x 30 mm, Right, 90°, Chrome
 # 14.08.219-0

 Ø19 x 30 mm, Left, 90°, Chrome
 # 14.08.219-5

 Ø19 x 30 mm, Right, 90°, Black
 # 14.08.220-0


 Ø19 x 30 mm, Left, 90°, Black
 # 14.08.220-5


# 14.08.217-5


0


180°













ø19 x 25 mm, Left, 90°, Black




EACH LOCKS TURNING DIRECTION
MAY BE MODIFIED. THE TURNING
DIRECTION IS DETERMINED
BY THE POSITION OF SMALL
PIN/KNOB INSIDE THE LOCK.

HOLE SIZE FOR RIGHT/LEFT



HOLE SIZE FOR 180° TURN



#### COMBINATION LOCK W/RUBBER RING



#### Application:

For metal or wooden doors, drawers, cabinets & boxes. W/Black rubber ring f/soft feeling.

#### Accessories for one set:

- 1 turn knob ø 38 mm
- 1 cylinder ø19 x 20 mm
- 1 cam plate c.e.: 37 mm
- 1 hex nut

#### Specifications:

Turn knob & cylinder made of zamak. Cam and hex nut made of steel, NPL 3 digits from 0 - 9 90° turn. Right hand Pre-coded 000. Re-coding by pressing metal pin on side of housing into the housing in open position.

#### Item No.:

Black Anodized: # 14.08.203 Chrome Plated: # 14.08.204



## 3-DIGIT COMBINATION LOCK "DOME"

#### Application:

For metal or wooden doors, drawers, cabinets, boxes etc.

#### **Function:**

Rotation angle 90°

#### **Specifications:**

Zamak body, cylinder & hex nut Steel cam Pre-coded 000

Re-coding by pushing split into hole in lock body in open position 1000 combinations


Available in 17,5, 22,5 & 29 mm cylinder lenghts


#### Item No.:

17,5 mm # 14.08.200 22,5 mm # 14.08.201 29 mm # 14.08.202













#### Application:

For drawers & cabinets.

#### Accessories for one set:

- 1 turn knob ø 44 mm
- 1 cylinder ø19 x 20 mm
- 1 cam plate c.e.: 40 mm
- 1 hex nut

#### **Specifications:**


Turn knob made of black/grey plastic Cylinder made of zamak
Cam and hex nut made of steel, NPL
3 digits from 0 - 9
90° turn. Right hand
Pre-coded 000.
Re-coding by pressing metal pin on

Item No.:

open position

Black/grey # 14.08.270

sideof housing into the housing in



15,5

## **COMBINATION CAM LOCK NO. M215**

#### **Application:**

For drawers & cabinets

#### Accessories for one set:

- 1 turn knob ø 56,6 mm
- 1 cylinder ø19 x 20 mm or ø19 x 30 mm
- 1 cam plate c.e.: 40 mm
- 1 hex nut

#### Specifications:

Turn knob made of black/grey plastic. Cylinder made of zamak

Cam and hex nut made of steel, NPL

4 digits from 0 - 9

90º turn. Right hand

Pre-coded 0000.

Re-coding by pressing metal pin on side of housing into the housing in open position.

W/master key system code A201 Code finder by use of master key


#### Item No.:


 Ø19 x 20 mm
 # 14.08.271


 Ø19 x 30 mm
 # 14.08.272


 Master key
 # 14.08.251











# COMBINATION CAM LOCK M316 - "PRIVATE" ZAMAK HOUSING – W/MASTER KEY & CODE FINDER \S\S\I



#### Application:

For drawers & cabinets

#### Accessories for one set:

- 1 turn knob ø 60 mm
- 1 cylinder ø19 x 24 mm
- 1 straight cam plate ce: 45 mm
- 1 hex nut
- 1 hole size reduction washer. From ø22 to ø19 mm

#### **Specifications:**

Zamak turn knob & cylinder Cam, hex nut & washer made of steel, NPL.

4 digits from 0 - 9.

90° turn. Right hand.

Pre-coded 0000.


Re-coding by pressing metal pin on side of housing into the housing in open position.

W/master key system code A201 & code finder.

Code finder by use of master key

#### Item No.:

# 14.08.290 Silver color Black color # 14.08.291 Master key A201 # 14.08.251



# COMBINATION CAM LOCK M300 - "PUBLIC" W/MASTER KEY & CODE FINDER

#### Application:

For drawers & cabinets

#### Accessories for one set:

- 1 turn knob ø 60 mm
- 1 cylinder ø19 x 24 mm
- 1 straight cam plate ce: 45 mm
- 1 hex nut

#### **Specifications:**

Turn knob made of plastic Cylinder made of zamak. Cam, hex nut & washer made of steel, NPL 4 digits from 0 – 9

90° turn. Right hand

Pre-coded 0000

Re-coding by pressing metal pin on side of housing


into the housing in open position.

W/master key system code A201 & code finder

Code finder by use of master key

#### Item No.:

Black color: # 14.08.292 Master key A201 # 14.08.251



# COMBI. CAM LOCK M500 - "PRIVATE" - W/MASTER KEY, **CODE FINDER & SCRAMBLE FUNCTION**

#### Application:

Suitable for drawers, lockers, cabinets, and wardrobes.

#### Accessories for one set:

- 1 turn knob Ø56 x 26,5 mm
- 1 cylinder Ø19 x 20 or Ø19 x 30 mm
- 1 straight cam plate C/E: 35 mm
- 1 hex nut

#### Specifications:

Turn knob made of zamak - black or white

Cylinder made of zamak

Cam, hex nut & washer made of steel, NPL

4 digits from 0-9

90 degree turn. Right hand

Pre-coded 1-1-1-1

Re-coding by turning lock body 10 DG counterc-

lockwise

W/master key system code #08 & code finder

Code finder by use of master key

Door thickness:

0,6 – 12 mm (20mm cylinder) 0,6 – 22 mm (30mm cylinder)

#### Item No.:

# 14.08.280 Size: Ø19 x 20 mm, Black: Size: Ø19 x 20 mm, White: # 14.08.281

Size: Ø19 x 30 mm, Black: # 14.08.286 Size: Ø19 x 30 mm, White: # 14.08.287

Master key #08 # 14.08.285























# COMBINATION CAM LOCK M237 – "PUBLIC/PRIVATE" W/MASTER KEY & CODE FINDER

#### **Application:**

For metal drawers & cabinets

#### Accessories for one set:

- 1 Lock body 73,8 x 33,3 x 22,6 mm (L/W/D)
- 1 angled cam plate c.e.: 32 mm
- 1 lock washer
- 1 hex nut

#### **Specifications:**

ABS lock housing

Cylinder inner core made of zamak
Cam and hex nut made of steel, NPL

4 digits from 0 - 9 180° turn.

Right or Left hand version

Public or private setting by use

of switch button

W/master key system code D001

& code finder

F/1 mm metal sheet

#### Item No.:

Right Hand: # 14.08.600 Left Hand: # 14.08.601

Master Key D001 # 14.08.252




20MM

83,8

Left hand

# FRONT MOUNTED METAL PLATE F/WOODEN PANELS

Right hand



#### **Application:**

For metal drawers & cabinets

#### Accessories for one set:

- 1 lock body 73,6 x 29,5 x 28,8 mm (L/W/D)
- 1 straight cam plate ce: 44,7 mm
- 1 metal fixing clip

#### **Specifications:**

Zamak lock housing – nickel plated Vertical installation

4 black plastic digits from 0 - 9 180° turn

Right hand version (left on request) Public or private setting by use of switch button

W/master key system code D0001 & code finder.

F/1 mm metal sheet

#### Item No.:

Right hand: # 14.08.260

Master key D001 # 14.08.252



## BACK PLATE F/LOCK M238 F/WOODEN PANELS

65,5

0

46

0

21,5


Panel thickness: 16 - 35 mm 46 x 84 x 2 mm Size: **Material:** steel, nickel plated

Item No. # 14.08.264

Incl. fixing screws & nuts

#### Panel thickness: 16 - 35 mm

- 1. Remove the original screws (3 pcs, screw position shown as below).
- 2. Replace with 5 new screws in A position and 2 nuts in B position.




A: screw 5 pcs (M3x38 mm)

Remarks: Please tailor

the lenght of screw according to the panel thickness (16 - 35 mm)

B: nut 2 pcs (M3) **(9)** 



# COMBINATION CAM LOCK M268 - ZAMAK HOUSING - VERTICAL - W/MASTER KEY & CODE FINDER



#### Application:

For drawers & cabinets

#### Accessories for one set:

1 lock body 74,3 x 33,3 x 21,3 mm (L/W/D)

1 straight cam plate ce: 44,7 mm

2 metal fixing clips

#### **Specifications:**

Zamak lock housing - black

Cam & fixing clips made of steel, NPL

90° turn.

Vertical installation.

Right hand.

4 steel digits from 0 - 9.

Pre-coded 0000.

Public or private setting by use of switch

button.

W/master key system code D005

& code finder.

Code finder by use of master key.


F/1 mm metal sheet.


#### Item No.:


Right hand: # 14.08.262 Master key D005 # 14.08.255














# BACK PLATE F/LOCK M268 F/WOODEN PANELS

Panel thickness: 17 - 20,5 mm


**Size:** 78,5 x 38 x 7 mm

(L/W/D)

Material: Black plastic

**Item No.:** # 14.08.262-9







# COMBINATION LOCK M224 - "PRIVATE" W/MASTER KEY & CODE FINDER

#### **Application:**

For drawers & cabinets

#### Accessories for one set:

- 1 lock body 72,8 x 42,8 x 25,3 mm (L/W/D)
- 1 straight cam plate ce: 32 mm
- 1 spring mounting clip

#### **Specifications:**

ABS lock housing - black

Horizontal installation 4 black plastic digits from 0 - 9

Private version ONLY

90° turn - right or left hand version W/master key system code 201 & code


finder.

F/0,8-1 mm metal panels or 12-22 mm wooden doors by use of extra back plate.

#### Item No.:

Right hand # 14.08.259-1 Left hand # 14.08.259-8 Master key 201 # 14.08.250





## BACK PLATE F/LOCK M224 F/1-12MM PANELS


Panel thickness: 1 - 12 mm

Cutting hole: 68 x 20,5 mm

Material: Black plastic

Incl. 3 screws

Item No. # 14.08.247





## BACK PLATE F/LOCK M224 F/12-22MM PANELS


Panel thickness: 12 - 22 mm

Cutting hole: 68 x 20,5 mm

Material: Black plastic

Incl. 3 screws

**Item No**. # 14.08.248





# COMBINATION LOCK M901 - "PUBLIC" W/MASTER KEY & CODE FINDER



#### Application:

For drawers & cabinets

#### Accessories for one set:

- 1 lock body 73 x 20 x 15,5 mm (L/W/D)
- 1 straight cam plate ce: 40 mm

#### **Specifications:**

Plastic lock housing - black

Horizontal installation 4 black plastic digits from 0 - 9

**Public version ONLY** 

90° turn - right or left hand version

W/master key system code #J13


& code finder.


F/0,8-1 mm metal panels or 14-19 mm wooden doors by use of extra back plate.

#### Item No.:


Right hand # 14.08.240 Left hand # 14.08.241 Master key #J13 # 14.04.123-5








Left




#### Installation diagram

0.8~1.0mm。
Installation method 1: Clamp the steel door with the lock body, the thickness of the door It is 0.8~1.0mm.



#### 14~19.5mm。

Installation method 2: Use the back panel to lock the wooden door, the thickness of the door It is 14~19.5mm.





## BACK PLATE F/LOCK M901 F/WOODEN PANELS

Panel thickness: 14 - 19 mm


Size: 77 x 24 x 4 (L/W/D)

Material: Black plastic

Incl. 4 screws ø 3 x 16 mm & 4 screws in ø 3 x 20 mm

# 14.08.245 Item No.







# COMBINATION LOCK M906 – "PRIVATE" W/MASTER KEY & CODE FINDER

#### Application:

For drawers & cabinets

#### Accessories for one set:

1 lock body 73 x 20 x 15,5 mm (L/W/D) 1 straight cam plate C/E: 40 mm

#### Specifications:

Plastic lock housing – black

Horizontal installation 4 black plastic

digits from 0-9

Private version ONLY

90° turn – right or left hand version

W/master key system code #J13 & code


finder.

F/0,8-1 mm metal panels or 14-19 mm wooden doors by use of extra back plate.

#### Item No.:

Right hand # 14.08.242 Left hand # 14.08.243 Master key #J13 # 14.04.123-5





## BACK PLATE F/LOCK M906 F/WOODEN PANEL

Panel thickness: 14-19 mm


Size: 77 x 24 x 4 (L/W/D)

Material: Black plastic

Incl.: 4 screws Ø3 x 16 mm

4 screws Ø3 x 20 mm

Item No. # 14.08.245-9



# COMBINATION CAM LOCK M266 - "PRIVATE" W/MASTER KEY, CODE FINDER & SCRAMBLE FUNCTION \$ 150

#### Application:

For metal drawers & wooden cabinets

#### Accessories for one set:

- 1 Lock body 73,8 x 33,3 x 20,5 mm (L/W/D)
- 1 straight cam plate c.e.: 44,7 mm
- 1 lock washer
- 1 hex nut

#### Specifications:

ABS lock housing

Cylinder inner core made of zamak

Cam and hex nut made of steel, NPL

4 digits from 0 - 9

180° turn Right or left hand version

W/scramble function

W/master key system code D001 & code finder

F/ 0,8 to 1 mm metal panel thickness


or for 16 - 21 mm wood thickness by use


of metal front plate

#### Item No.:

Right Hand: # 14.08.605 Left Hand: # 14.08.606 Master key: # 14.08.252










#### Item No.

Metal black

#14.08.610


White on request





# SISO DENMARK

# COMBINATION PUSH LOCK M330 – "PUBLIC/PRIVATE" W/MASTER KEY & CODE FINDER



### **KEY STORAGE BOX**



#### Application:

F/storage of keys Wall mounting

#### Accessories for one set:

- 1 lock housing 88 x 126 x 56 mm (W/H/D)
- 4 wall plugs
- 4 wall screws

#### **Specifications:**

Aluminum lock housing - black Zamak key pad - silver ABS front cover - black 9 push buttons Personal key setting

Item No.: # 14.08.155



PROTECTION COVER FOR KEY STORAGE BOX



## DOOR BRACKET F/KEY STORAGE BOX 14.08.155


#### Application:

Door bracket f/40-50 mm door thickness

#### Specifications:

- 1 steel bracket black
- 4 screws
- 4 hex nuts
- 1 threaded rod w/soft tip

**Item No.:** # 14.08.156-9





# **Application.** F/storage of keys

Wall mounting

#### **Specifications:**

- 1 lock housing 85 x 120 x 37 mm (W/H/D)
- 4 wall plugs
- 4 wall screws

#### **Specifications:**

Aluminum lock housing - black

Zamak lid - silver

Steel back plate - black

ABS dust cover


4 digits from 0 - 9

Pre-coded 0000. Code can be reset.

Item No.:


Lock # 14.08.150











# **KEY STORAGE PADLOCK**

Specifications:

Material: Steel
Size: 90 x 59,5 mm
Rubber coated shackle: Ø10,5 x 52,5 mm

4 Digits from 0 - 9

Pre-coded 0000. Code can be re-set.


Finish: Black


**Item No.:** # 14.08.153














# ELECTRONIC KEY STORAGE BOX W/CODE PANEL & BLUETOOTH



#### Application:

For storage of keys. Ideal for Airbnb rental. Operated by use of 4 digit pin or via bluetooth ("SUO" App)

Accessories for one set:

- 1 zamak lock body black
- 4 x wall plugs
- 4 x wall screws

#### Size:

Outer dimensions 124 x 82 x 54,5mm (H/W/D) Inner dimensions 102 x 67 x 24,8 (H/W/D)

#### Specifications:

12 keys touchscreen lighting keypad Powered by 4 x AAA Batteries (NOT included) Battery lifetime: 3000 times lock/unlock Working temperature: -5 degrees to 55 degrees Celsius

Working humidity: 25~75 % IP rating: IP55 CE/FCC certified

**REACH & Rohs certified** 

#### Features:

With master code function

Max 10 users pr. lock

Max 10 guests pr. lock

Automatic locking when lid is closed

Alarm function after 20 sec. if lock is not locked Keypad lockout function by use of wrong code (5 attemps)

"SUO" App available for IOS & Android App history records (last 40 entries) Share password via "SUO" App Time limited access via "SUO" App


Low battery warning


Micro USB for external power supply


User manuals & videos may be found on: www.siso.dk


Item No.: # 14.08.157















# **SOLID BRASS PROFILE CYLINDERS**

#### Euro Profile Cylinders Yale or FAB keyway 1 mounting screw 65 mm and 3 brass keys - 5 pins











Item No.:	L	Α	В	С	FINISH
#14.60.037-9	41	26	10	5	SS-look - Yale keyway
#14.60.037	62	26	26	10	SS-look - Yale keyway
#14.60.038	62	26	26	10	Brass satin - Yale keyway
#14.60.071	64,5	30,2	25	9,3	Brass polished - FAB keyway
#14.60.074	64,5	30,2	25	9,3	SS-look - FAB keyway
#14.60.117	70	25	35	10	Brass polished - FAB keyway
#14.60.118	70	25	35	10	Nickel Plated - FAB keyway
#14.60.115	70	30	30	10	Brass polished - FAB keyway
#14.60.116	70	30	30	10	SS-look - FAB keyway
#14.60.131	75	30	35	10	Brass polished - FAB keyway
#14.60.132	75	30	35	10	SS-look - FAB keyway
#14.60.113	80	25	45	10	SS-look - FAB keyway
#14.60.046	80	25	45	10	Brass satin - Yale keyway
#14.60.114	80	25	45	10	Brass polished - FAB keyway
#14.60.119	80	30	40	10	Brass polished - FAB keyway
#14.60.120	80	30	40	10	SS-look - FAB keyway
#14.60.121	80	35	35	10	Brass polished - FAB keyway
#14.60.122-0	80	35	35	10	SS-look - FAB keyway
#14.60.133	85	30	45	10	Brass polished - FAB keyway
#14.60.125	90	30	50	10	Brass polished - FAB keyway
#14.60.126	90	30	50	10	SS-look - FAB keyway
#14.60.123	90	35	45	10	Brass polished - FAB keyway
#14.60.124	90	35	45	10	Nickel Plated - FAB keyway
#14.60.127	95	35	50	10	Brass polished - FAB keyway
#14.60.128-0	95	35	50	10	SS-look - FAB keyway

#### Cylinders w/Master key system (Yale keyway)

_						
Item No.:	L	Α	В	С	FINISH	SYSTEM
#14.60.039	62	26	26	10	SS-look	#M1
#14.60.040	62	26	26	10	SS-look	#M2
#14.60.043	62	26	26	10	Alu Look	#M3
#14.60.044	62	26	26	10	Alu Look	#M4

#### Master keys (Yale keyway)


Item No.:	SYSTEM	
#14.60.041-0	#M1	
#14.60.042-0	#M2	
#14.60.041-5	#M3	
#14.60.041-6	#M4	


## **SOLID BRASS PROFILE CYLINDERS**



#### Cylinder w/Knob #4 - Yale keyway

Item No.:LABFinish14.60.027602525Brass Satin









Cylinder w/Knob #2 - Yale keyway With Master Key system #M3 Incl. 3 brass keys with SISO logo

Master Item No.: Α В **Finish** key system 14.60.028 25 25 Brass Polished NO 60 14.60.032 62 26 26 SS-look System #M3

Master key: Item No.:

System #M3 # 14.60.041-5







Cylinder w/Knob #3 - Yale keyway With Master Key system #M3 Incl. 3 brass keys with SISO logo


Master key system Item No.: В **Finish** System #M3 14.60.033 62 SS-look 26 26 14.60.047 62 26 26 Alu Look System #M3

Master key: Item No.:

System #M3 # 14.60.041-5







# SISO DENMARK

#### **MORTISE DOOR LOCK NO. 8788**

#### Application:

Lock case for use as a supplementary lock in entrance doors, gates and swing doors.

#### Material:

Steel

#### **Specifications:**


Lock body 98 x 74 mm - zinc plated Front plate 25 x 150 mm - SS look

Backset: 50 mm

Deadbolt - operated by key - 360° turn F/Scandinavian cylinders

Item No.:

# 14.60.072





## **MORTISE DOOR LOCK NO. 9045**

#### **Application:**

Lock case for exterior and interior doors, offices, industrial buildings, etc.

#### Material:

Steel

#### **Specifications:**

Lock body 168 x 80 mm - white lacquered Front plate 22 x 240 mm - white lacquered Striking plate 24 x 25 x 190 mm - white lacquered

Backset: 50 mm


Distance between axes: 90 mm

Deadbolt - operated by key - 90° turn Wlever latch - activated by handle or key

Rotational latch bolt for left/right hand application

F/Euro profile cylinders

**Item No.:** # 14.60.053



# MORTISE LOCK NO. 9403

#### 3 keys, screws and striker

20 mm backset - mainly developed for aluminium sliding doors


#### Finish:

Chrome plated

#### Item No.:

Key alike # 14.60.049 Key different # 14.60.050







# DOOR LOCK NO. 2014 - FOR INTERIOR DOORS SISO

#### Application:

Lock for interior doors. It can be locked with either a key or a toilet thumb turn. Lock handing can easily be changed by pulling out the latch bolt and turning it 180° clockwise. The lock can be used with a lever handle only or with both a lever handle and a key or a toilet thumb turn.

#### Material:

Steel


#### **Specifications:**

Lock body 109 x 75 mm Front plate 20 x 150 mm Backset: 45 mm

Distance between axes: 72 mm
Deadbolt - operated by key - 90° turn
Rotational latch bolt - activated by handle

#### Item No.:

BRZ Painted - W/Zamak NPL key # 14.60.060 CPL Painted - W/Zamak NPL key # 14.60.061



## CYLINDER LOCK CASE NO. 2016 - FOR INTERIOR DOORS

#### Application:

Cylinder lock case for interior doors. It can be locked using a key or a thumb turn. In locked position, the deadbolt protrudes 14 mm. Lock handing can easily be changed by pulling out the Latch bolt and turning it 180° clockwise.

#### Material:

Steel, chrome plated

#### **Specifications:**


Lock body 109 x 75 mm Front plate 20 x 150 mm

Backset: 45 mm

Distance between axes: 68 mm
Deadbolt – operated by key – 90° turn
Rotational latch bolt - activated by handle
F/Scandinavian cylinders

#### Item No.:

Chrome Plated # 14.60.063





#### **Application:**

For lockers at sport facilities & super markets.

#### Accessories for one set:

- 1 lock w/cylinder Ø22 x 31 mm
- 1 steel rosette
- 1 coin tray in blue ABS
- 2 SISO brass snake keys

#### **Specifications:**

Black & blue ABS housing Nickel plated zamak cylinder. Innercore made of brass. 1000 key combinations

W/master key & interchangeable system (MIC)

Left (L) or right hand (R) versions

#### Item No.:


5 HRK - Croatia # 14.60.243 (R)
1 BGN - Bulgaria # 14.60.245-1/246 (L/R)
2 PLN - Poland # 14.60.247-0/247-1 (L/R)
1 EURO - Euro zone # 14.60.250-0/249-1 (L/R)
2 EURO - Euro zone # 14.60.253/252 (L/R)
10 DKK - Denmark # 14.60.271-1/270-1 (L/R)









Coin deposit lock and coin collector box built together



# 33.5





#### **COIN COLLECTOR BOX**

#### Application:

Suitable for SISO coin locks

#### **Specifications:**

Black PA housing
Zamak cam lock - nickel plated
W/2 SISO steel snake keys
W/master key & interchangable
system #5 (MIC)
1000 key combinations

#### Item No.:

Box: # 14.60.210 Master key: # 14.60.212 Interchangeable key: # 14.60.213

# ELECTRONIC COMBINATION CAM LOCK "MARC"



#### **Application:**

Suitable for metal or wood lockers, wardrobes, drawers or cabinets

#### Accessories for 1 lock:

- 1 ABS housing w/turning knob 93 x 38 x 14 mm
- 1 zamak cylinder ø 16 x 29 mm
- 1 steel cam plate c.e: 47 mm
- 1 L-shaped metal striker
- 1 fixing hex nut

#### Specifications:

90° turn

Master code function.

Micro USB for external power supply.

Vertical or horizontal installation.

Touch keypad - 6-figure code needed. Power by button-cell battery CR 2032

(NOT included).

Àvailable as públic or private version.

Working temperature: -5° - +50° Celsius.

Working humidity: 20 - 80%.

#### Item No.:


Public – Silver/Black # 14.60.390 Private – Silver/Black # 14.60.391


Extra protection cover if needed.


Cover for hiding USB access and battery. Ideal when lock is used in public places.

Steel - Black anodized: # 14.60.395

Detailed user-guide on www.siso.dk


























# ELECTRONIC COMBINATION LOCK "VIC" - VERTICAL

# ELEC. COMBINATION LOCK "VIC" - VERTICAL

#### Application:

Suitable for drawers, lockers, cabinets and wardrobes.

#### Accessories for one set:

- 1 zamak housing w/turning knob 95 x 30 x 12 mm (L/W/D)
- 1 zamak cylinder size: Ø19 x 20 or Ø19 x 30 mm
- 1 straight steel cam plate C/E: 40 mm
- 1 black rubber gasket
- 3 M4 fixing screws
- 1 fixing hex nut

#### Specifications:

Zamak lock housing – black or white powder coated

Vertical installation

Switch freely between public & private mode 90 degree turn - Universal - No left or right

W/master key system code #07

3 levels of management. Master, sub-master and user code

For 0 - 12 mm (20mm cylinder) and 12-22 mm (30mm cylinder)

W/Auto-timer function (unlock after X hours)
IP 65 rating

Powered by CR2450 Battery (included) EC, REACH and Rohs certified


#### Item No.:


Size: Ø19 x 20 mm, Black # 14.60.410 Size: Ø19 x 20 mm, White # 14.60.411 Size: Ø19 x 30 mm, Black # 14.60.415 Size: Ø19 x 30 mm, White # 14.60.416


Master key #07 # 14.60.439











# ELECTRONIC COMBINATION LOCK "VIC" - HORIZONTAL



# ELEC. COMBINATION LOCK "VIC" - HORIZONTAL

#### Application:

Suitable for drawers, lockers, cabinets and wardrobes.

#### Accessories for one set:

- 1 zamak housing w/turning knob 95 x 30 x 12 mm (L/W/D)
- 1 zamak cylinder size: Ø19 x 20 or Ø19 x 30 mm
- 1 straight steel cam plate C/E: 40 mm
- 1 black rubber gasket
- 3 M4 fixing screws
- 1 fixing hex nut

#### Specifications:

Zamak lock housing – black or white powder coated

#### Horizontal installation

Switch freely between public & private mode 90 degree turn – right or left hand version

W/master key system code #07

3 levels of management. Master, sub-master and user code

For 0 - 12 mm (20mm cylinder) and 12-22 mm (30mm cylinder)

W/Auto-timer function (unlock after X hours) IP 65 rating

Powered by CR2450 Battery (included)

EC, REACH and Rohs certified

#### Item No.:

 Size: Ø19 x 20 mm, Right, Black
 # 14.60.420

 Size: Ø19 x 20 mm, Right, White
 # 14.60.421

 Size: Ø19 x 20 mm, Left, Black
 # 14.60.425

 Size: Ø19 x 20 mm, Left, White
 # 14.60.426


Size: Ø19 x 30 mm, Right, Black # 14.60.430 Size: Ø19 x 30 mm, Right, White # 14.60.431 Size: Ø19 x 30 mm, Left, Black # 14.60.435 Size: Ø19 x 30 mm, Left, White # 14.60.436


Master key #07 # 14.60.439














## **ELECTRONIC COMBINATION CAM LOCK "DAVE"**

#### **Application:**

Suitable for metal or wood lockers, wardrobes, drawers or cabinets

#### Accessories for 1 lock:

- 1 zamak housing w/turning knob 93 x 25 x 9,1 mm 1 zamak cylinder ø 16,5 x 25 mm 1 L-shaped steel striking plate

- 1 steel cam plate ce: 32mm
- 1 spike washer
- 1 zamak fixing hex nut
- 1 needle for battery exchange

#### Item No.:

Public - Silver # 14.60.396 Public – Black # 14.60.397 Private – Silver Private – Black # 14.60.398 # 14.60.399

#### **Specifications:**

90° turn

Master code function Vertical installation

Touch keypad – 3-figure code needed Power by button-cell battery CR1220

(NOT included)

Working temperature: -50 - +50° Celsius


Working humidity: 20 – 80 %


Available as public or private version.

Detailed user-guide on www.siso.dk









# **ELECTRONIC COMBINATION SLAM LOCK -**"PUBLIC/PRIVATE"



#### Application:

Suitable for swim- & sauna bathing spots, golf course, Oil rigs, Enterprises, schools, hotels

& super market storage cabinets

#### Accessories for one set:

- 1 zamak lock panel 56,1 x 14 x 85,9 mm (W/D/H)
- 1 plastic lock housing 45 x 29 x 118 mm (W/D/H)
- 1 metal striking plate

#### **Specifications:**

Master code & user code

1 – 10 digits code

Pre-coded as public version (temporary user code)

but can be re-coded to private version

(Permanent user code)

Alarm for low power

Power supply by DC6V (4 pcs. AA 1,5V alkaline batteries) Battery life time: Opens > 20.000 times, can still open

200 times after low power alarm

Plug for external power supply

Working temperature: -15 to +65 Celsius

Working humidity: <=95 %

#### Item No.:


# 14.60.322 Lock: # 14.60.325 External battery box:





#### **EXTERNAL BATTERY BOX**











#### **INVISIBLE** "MIFARE1" LOCK



#### Application:

Suitable for companies, hotels, super market storage cabinets, schools, swim- & sauna bathing spots, golf courses & oilrigs. May be used for cabinet & sliding doors depending on striker used.

#### **Specifications:**

Black ABS lock body case.

Operated by Mifare1 technology. (13,56 MHz)

Power supply by DC6V (4 x AA 1,5V alkaline batteries).

Working temperature: -15 - +65° Celsius.

Working humidity: <=90 %

#### Features:

Pre-coded to public mode. May be changed to private or office mode by use of programming buttons on the lock.

(see detailed user manual on www.siso.dk)

30 users may be programmed per lock.

W/alarm function (may be switched off)

Standalone lock. (No wiring needed)

Invisible installation.

Signal goes through max. 20 mm wood/glass panels.

May be programmed to double key function


**Size:** 80 x 80 x 27 mm

Item No.: # 14.60.280

(Batteries, keys, cards & strikers to be bought separately)







# MIFARE1 KEYS & CARDS

#### Key Fob, black

Recommended to use as user key **Item No.:** # 14.60.357

#### Plastic Card, white

Recommended to use as Master card & Delete card.

May be used as user card as well. **Item No.:** # 14.60.346



# INVISIBLE "MIFARE1" LOCK



#### **PUSH TO OPEN STRIKER F/CABINET DOORS**

#### **Application:**

For cabinet doors. W/push to open function.


#### Specifications:

Black ABS body case Steel springs & pins

**Size:** 80 x 27 x 21,5 mm

**Item No.:** # 14.60.285





#### **PUSH TO OPEN STRIKER F/SLIDING DOORS**

#### Application:

For sliding doors. W/push to open function.


#### Specifications:


Black ABS body case Steel springs & pins


**Size:** 80 x 21 x 18 mm

**Item No.:** # 14.60.286









# SISO DENMARK

## INVISIBLE "MINI" MIFARE1 LOCK

#### **Application:**

Suitable for companies, hotels, super market storage cabinets, schools, swim- & sauna bathing spots, golf courses & oilrigs. May be used for cabinet & sliding doors depending on striker used.

#### Specifications:

Black ABS lock body case.

Operated by Mifare1 technology. (13,56 MHz)

Power supply by CR123A Lithium battery.

Working temperature: -15 - +65 Celsius.

Working humidity: <=90 %



Pre-coded to public mode. May be changed

to private or office mode by use of programming

buttons on the lock. (see detailed user manual on www.siso.dk)

49 users may be programmed per lock.

W/alarm function (may be switched off)

Standalone lock. (No wiring needed)


Invisible installation. Signal goes through max. 20mm wood/glass panels

May be programmed to double key function

**Size:** 61 x 61 x 22 mm


**Item No.:** # 14.60.275


(Batteries, keys, cards, strikers & covers to be bought separately)











**MIFARE1 KEYS & CARDS** 

Key Fob, black

Recommended to use as user key

**Item No.:** # 14.60.357

Plastic Card, white

Recommended to use as Master card & Delete card.

May be used as user card as well.

**Item No.**: # 14.60.346





# PUSH TO OPEN STRIKER FOR **CABINET & SLIDING DOORS**



**Application:**For cabinet & sliding doors.
With push to open function.


#### **Specifications:** Black ABS frame Steel body, spring & pins


**Size:** 60 x 24 x 17 mm


# 14.60.276 Item No.:





















# PROCTECTION COVERS FOR "MINI" MIFARE1 LOCK & STRIKER

#### PROTECTION COVER FOR LOCK

#### Application:


For hiding the program buttons & battery cover. To be installed after programming of the lock. With indication marks for easy cutout/drilling according to application needed.

#### **Specifications:**

Black PA

**Size:** 65,5 x 65,5 x 25,5 mm

**Item No.**: # 14.60.277











#### PROTECTION COVER FOR STRIKER

#### **Application:**


For elegant/smooth design. With blind screw holes for easy drilling according to application needed.


#### **Specifications:**

Black PA

**Size:** 69 x 28 x 17 mm

Item No.: # 14.60.278















- high quality furniture fittings

#### SISO A/S

Mileparken 11 Phone: (+45) 45 830 900 DK - 2740 Skovlunde (Copenhagen) E-mail: siso@siso.dk

Denmark Web: www.siso.dk